




A **valmont**  COMPANY



Expanded Metal Metex





Expanded Metal • Metex

LARGE MESH RANGE



07 Profile





09 Profile



12 Profile



15 Profile



LARGE MESH RANGE

LARGE STEEL												
Mesh Reference	Standard Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size of Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)	% Open Area	
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick			Raised Norm-Max	Flat
07-08	1200	1200	19	7	14	5	1.0	0.8	1.8	2.0	75-80	54
07-10	1200	2400	19	7	14	4	1.7	1.0	3.7	3.0	60-73	54
09-10	2400	1200	28	9	22	7	1.5	1.0	2.7	3.0	75-89	67
09-16L	2400	1200	28	9	20	6	1.6	1.6	4.4	3.2	48-56	59
09-16	2400	1200	28	9	19	5	2.2	1.6	6.2	4.0	48-56	53
12-09	2400	1200	30	12	24	10	1.5	1.0	1.9	3.0	81-87	70
12-12	2400	1200	30	12	23	9	2.2	1.2	3.3	4.0	68-78	65
12-16	2400	1200	30	12	23	9	2.2	1.6	4.4	4.0	67-75	63
12-20	2400	1200	30	12	22	9	2.2	2.0	5.5	4.0	64-71	62
12-25	2400	1200	30	12	23	12	4.7	2.5	14.0	7.7	26	-
15-10	2400	1200	38	15	31	14	2.0	1.0	1.8	3.8	68-74	70
15-16	2400	1200	38	15	30	13	2.0	1.6	3.3	3.8	68-78	65
15-20	2400	1200	38	15	29	12	2.7	2.0	5.1	5.1	68-74	60

Also available in Galvabond, Hot dipped Galv and Stainless steel



LARGE ALUMINIUM												
Mesh Reference	Standard Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size of Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)	% Open Area	
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick			Raised Norm-Max	Flat
07-10A	1200	2400	19	7	14	4	1.7	1.0	1.3	3.0	60-73	54
09-10A	2400	1200	28	9	22	7	1.5	1.0	0.94	3.0	75-89	67
09-16AL	2400	1200	28	9	20	6	1.6	1.6	1.61	3.2	48-56	59
09-16A	2400	1200	28	9	19	5	2.2	1.6	2.2	4.0	48-56	53
12-09A	2400	1200	30	12	24	10	1.5	1.0	0.7	3.0	78-82	70
12-12A	2400	1200	30	12	23	9	2.2	1.2	1.2	4.0	70-75	65
12-16A	2400	1200	30	12	23	9	2.2	1.6	1.6	4.0	64-68	63
12-20A	2400	1200	30	12	22	9	2.2	2.0	2.0	4.0	64-71	62
12-25A	2400	1200	30	12	30	12	4.7	2.5	5.0	7.7	26	-
15-10A	2400	1200	38	15	31	14	2.0	1.0	0.68	3.8	68-78	70
15-16AL	2400	1200	38	15	30	13	2.0	1.6	1.09	3.8	68-78	67
15-16A	2400	1200	38	15	29	12	2.0	1.6	1.2	3.8	68-78	65

- Non standard sheet sizes available. Conditions apply.
- All of the above mesh can be supplied flattened.
- The flattening process will increase the O/A size of expanded sheets. Unless specified, flattened sheets will not be trimmed.
- Flattened Profiles will be thinner than the original material thickness.



Expanded Metal • Metex

LARGE MESH RANGE



19 Profile



25 Profile



38 Profile



LARGE MESH RANGE

LARGE STEEL												
Mesh Reference	Standard Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size of Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)	% Open Area	
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick			Raised Norm Max	Flat
19-16	2400	1200	50	19	40	20	2.1	1.6	2.3	4.0	81-87	76
19-20	2400	1200	50	19	40	18	2.7	2.0	3.8	5.2	77-81	74
19-30	2400	1200	50	19	37	16	3.9	3.0	8.3	7.5	67-74	66
25-16	2400	1200	60	25	50	21	2.2	1.6	2.2	4.2	82-87	81
25-20	2400	1200	60	25	48	19	3.0	2.0	3.5	6.0	73-80	70
38-20	2400	1200	76	38	62	28	2.9	2.0	2.7	5.8	81-84	83
38-30	2400	1200	76	38	62	28	3.5	3.0	5.0	7.0	76-81	83
38-30CY	2400	1200	76	38	60	25	4.5	3.0	6.7	9.0	75-79	61

Also available in Galvabond, Hot dipped Galv and Stainless steel

LARGE ALUMINIUM												
19-16A	2400	1200	50	19	40	20	2.1	1.6	0.8	4.0	86-88	43
19-20A	2400	1200	50	19	40	18	2.7	2.0	1.3	5.2	77-81	74
19-30A	2400	1200	50	19	37	16	3.9	3.0	2.9	7.5	67-74	66
25-16A	2400	1200	60	25	50	21	2.2	1.6	0.8	4.2	83-84	79
25-20A	2400	1200	60	25	48	19	3.0	2.0	1.4	6.0	73-80	70
38-20A	2400	1200	76	38	62	28	2.9	2.0	1.0	5.8	81-84	83
38-30A	2400	1200	76	38	62	28	3.5	3.0	1.8	7.0	76-81	83
38-30ACY	2400	1200	76	38	60	25	4.5	3.0	2.3	9.0	75-79	61

- Non standard sheet sizes available. Conditions apply.
- All of the above mesh can be supplied flattened.
- The flattening process will increase the O/A size of expanded sheets. Unless specified, flattened sheets will not be trimmed.
- Flattened Profiles will be thinner than the original material thickness.

Stag Ends: Incomplete strands existing beyond the joints of a mesh either LWD, SWD or both.

Galvanising: Hot dipped galvanising carried out to **AS/NZS4680:2006**. Distortion and windowing effect can occur to small steel range through to 15 profiles. Windowing effect is particularly prevalent on flattened meshes.

Locker part numbers often combine the mesh reference with a suffix to denote different variations of the product e.g.

A Aluminium

G Hot Dip Galvanised

F Flattened

L Lightweight version

CY Cyclone tested

Expanded Metal • Metex

LARGE MESH RANGE

LARGE STEEL


Mesh Reference	Standard Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size of Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)	% Open Area	
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick			Raised Norm Max	Flat
50-20	2400	1200	102	50	87	43	4.0	2.0	2.5	8.0	82-87	85
50-30	2400	1200	102	50	83	41	5.6	3.0	5.7	11.0	76-83	77

• Also available in Galvabond, Hot Dipped Galv and Stainless steel


LARGE ALUMINIUM

50-30A	2400	1200	102	50	83	41	5.6	3.0	2.01	11.0	76-83	77
50-50A	2400	1200	102	50	80	38	5.0	5.0	3.00	10.0	75-83	-



- Non standard sheet sizes available. Conditions apply.
- All of the above mesh can be supplied flattened
- The flattening process will increase the O/A size of expanded sheets. Unless specified, flattened sheets will not be trimmed.
- Flattened Profiles will be thinner than the original material thickness.



50 Profile



"MET" EDGE TRIMS - EXPANDED METAL



"MET" EDGE TRIMS - EXPANDED METAL

Reference	Length (mm)	Width "W" (mm)	Gap "G" (mm)	Thickness "T" (mm)
Met 4	2440	19	4	1.2
Met 6	2440	25	6	1.6
Met 8	2440	25	8	1.6
Met 10	2440	25	10	1.6

Edge Trim Selection Guide



Met 4	Met 6	Met 8	Met 10
0708	0916	1930	3830CY
0710	1212	3830	5020
0910	1216	1225	5030
0916L	1220	LV10	HVO30
1209	1520	LV16	HVO40
1510	1916	L7609	HDMS30
1516	1920	L7616	3430
	2516	DMS30	1930SP
	2520	JE1116	
	3820		
	403		
	JE1112		

- Standard Edge Trims are manufactured from Galvabond material
- Other materials and sizes are available - conditions apply



Expanded Metal • Metex

SMALL MESH RANGE



220





203





217F



199



R0908



SMALL MESH RANGE

SMALL STEEL - RAISED									
Mesh Reference	Standard Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	% Open Area	
	LW	SW	LWM	SWM	Width	Thick		Raised Norm-Max	Flat
213	1200	900	6.0	3.5	0.60	0.60	1.39	62-68	-
220	1200	900	6.0	3.5	0.76	0.60	2.02	50-59	-
202	1200	900	10.0	5.5	1.20	0.60	2.00	65-75	-
203	1200	900	10.0	5.5	0.79	0.60	1.31	66-71	-
206	1200	1200	10.0	5.5	1.17	0.80	2.43	60-68	-
207	1200	900	10.0	5.5	1.55	0.80	3.22	46-61	-
209	1200	900	10.0	5.5	1.55	1.00	4.10	40-54	-
198	1200	1200	15.0	5.5	1.35	0.60	1.88	60-75	-
199	1200	1200	15.0	5.5	1.17	1.00	3.00	54-65	-
R0908	1200	1200	12.7	7.5	2.00	1.00	3.96	55-65	-

Also available in Galvabond and custom sheet sizes. Some of the above profiles are available in Stainless Steel. These meshes are not available hot dipped galv.

SMALL STEEL - FLATTENED									
226F	1200	1200	6.0	3.7	0.79	0.60	2.00	-	44
217F	1200	2400	10.0	6.0	1.14	1.00	3.00	-	52

Also available in Galvabond and custom sheet sizes. Some of the above profiles are available in Stainless Steel. These meshes are not available hot dipped galv.

- The flattening process will increase the O/A size of expanded sheets. Unless specified, flattened sheets will not be trimmed.
- Flattened Profiles will be thinner than the original material thickness.

SMALL ALUMINIUM - RAISED									
213A	1200	900	6.0	3.5	0.56	0.60	0.53	68-75	-
601A	1200	1200	6.0	3.5	0.80	0.60	0.70	51-62	-
602A	1200	1200	6.0	3.5	1.17	0.60	1.05	26-40	-
351A	1200	1200	10.0	5.5	1.55	1.00	1.35	42-57	-
356A	1200	1200	10.0	5.5	1.0	0.60	0.70	70-80	-
354A	1200	1200	10.0	5.5	1.17	0.80	0.80	58-68	-


SMALL ALUMINIUM - FLATTENED									
217AF	1200	2400	10.0	6.0	1.17	1.00	1.00	-	52

- The flattening process will increase the O/A size of expanded sheets. Unless specified, flattened sheets will not be trimmed.
- Flattened Profiles will be thinner than the original material thickness



Expanded Metal • Metex

SUNSCREENING RANGE



Sun 401 Profile





LV Profile



L76 Profile



Sun 636 Profile



SUNSCREENING RANGE



SUNSCREEN - STEEL											
Mesh Reference	Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)	% Open Area Raised Norm Max
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick			
Sun 401	1200	2400	28	3.6	13	1.3	2.31	0.8	3.85	2.2	35-55
401	1200	900	28	3.6	13	2.0	2.31	0.8	3.50	2.2	42-64
403	1200	900	62	6.3	33	4.0	3.45	7.0	3.70	4.0	53-77
LV10G Louvre	2440	1200	62	14	41	10	4.80	0.9	5.20	6.5	37-88
LV16G Louvre	2440	1200	62	14	33	4	6.30	1.6	11.08	6.0	12-60
L7609G Louvre	2440	1200	76	13	50	7	4.80	0.9	5.20	7.0	41-91
L7616G Louvre	2440	1200	76	16	41	4	6.30	1.6	11.08	6.5	21-66
Sun 636G	2440	1200	75	30	51	15	11.00	1.6	9.68	13.0	23
Sun 16G	2440	1200	120	34	83	22	11.80	1.6	8.20	16.5	34-71

*G Denotes Galvabond material.
Some of the above profiles can be supplied in Hot Dipped Galv.

SUNSCREEN - ALUMINIUM											
Sun 401A	1200	2400	28	3.6	13	1.3	2.31	1.0	1.65	2.2	33-55
401A	1200	1200	28	3.6	13	2	2.31	1.0	1.50	2.2	40-61
406A	1200	1200	62	6.3	33	4	3.45	1.2	1.75	4.0	52-72
LV10A Louvre	2400	1200	62	14	41	10	4.80	1.0	1.90	6.5	37-88
LV16A Louvre	2400	1200	62	14	33	4	6.30	1.6	4.02	6.0	12-60
L7609A Louvre	2400	1200	76	13	50	7	4.80	1.0	1.90	7.0	41-91
L7616A Louvre	2400	1200	76	16	41	4	6.30	1.6	4.02	6.5	21-66
Sun 636A	2400	1200	75	30	51	15	11.00	1.6	3.52	13.0	23
Sun 20A	2400	1200	120	34	80	20	11.80	2.0	3.70	17.0	34-71

Non standard sheet sizes available. Conditions apply.



Sun 16 Profile





Expanded Metal • Metex

SECURITY & FENCING MESH RANGE



JE Profile





12 Profile



HVO Profile




DMS & HDMS Profile




SECURITY & FENCING MESH RANGE

SECURITY & FENCING MESH								
Mesh Reference	Nominal Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height
	LW	SW	LWM	SWM	Width	Thick		
HV 030 HV 040	1800	UP TO 5500	38 38	15 15	5 5	3 4	14.1 18.8	9.0 9.0
DMS 30 HDMS 30	1800 1800	UP TO 5000 UP TO 5000	50 50	19 19	4 5	3 3	9.4 11.7	7.0 9.0
JE 1112 JE 1116	1200	UP TO 5500	19 19	11 11	3 4	3 3	13 17	6.0 5.5
3830 CY	2400	1800	76	38	4.5	3	6.3	6.0
1225	1200	3600	30	12	4.7	2.5	5	7.7
3430	2400	1800	120	34	6	3	8.5	9.5



Security mesh available in Mild steel, Galvabond, Aluminium or Hot dipped Galv. Conditions apply.
Custom sizes available. Conditions apply.



USI 3830 Profile





3430 Profile





AGRICULTURAL MESH RANGE



AG1930SP



AG2515



AG3012





AGRICULTURAL MESH RANGE

AGRICULTURAL MESH (AG) - STEEL



Mesh Reference	Standard Sheet Sizes (mm)		Nominal Size of Mesh (mm)		Nominal Size of Mesh Opening (mm)		Approx. Strand Size (mm)		Weight Kg/m ²	Overall Height (mm)
	LW	SW	LWM	SWM	LWO	SWO	Width	Thick		
1930SP	1200	3150	50	19	33	11	6	3	12.5	9
WK2511FM	1200	2400	60	25	45	19	5.6	3	11.0	10
WK2515FM	1200	2400	60	25	45	15	8	3	15.0	15
WK2515FMF	1200	2400	60	25	45	9	8	3	15.0	3
AG3012	1200	2400	75	30	59	19	8	3	13.5	12
AG3012F	1200	2400	75	30	55	7	8	3	13.5	3

'F' Denotes Flattened Mesh
 Flattened Profiles will be thinner than the original material thickness
 Also available in hot dipped Galv.
 The flattening process will increase the O/A size of expanded sheets.
 Unless specified, flattened sheets will not be trimmed.

AG2515F



AG3012F





A **valmont**  COMPANY



A **valmont**  COMPANY

Locker Group Pty. Ltd.

Email: info@locker.com.au

Website: www.locker.com.au

TOLL FREE 1800 635 947

Locker Group (NZ) Limited

Email: sales@lockernz.co.nz

Website: www.lockernz.co.nz

TOLL FREE 0800 285 837