Fujitsu recommends Windows[®] 7.

Data Sheet Fujitsu LIFEBOOK P701 Notebook

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P701 should be your first choice. Its 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts, and various security features guarantee that the notebook is secure both in the office and on the move.

Full performance mobility

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

■ 2nd generation Intel[®] Core[™]i3 or Core[™]i5 processor with Intel[®] HM65 chipset

Maximum security

Protect your company data against unauthorized third-party access.

Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Reliable companion

Secure and effective working even for the most demanding of users in all situations

- Spill-resistant keyboard, ShockSensor, integrated SmartCard slot
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Ergonomic working on the move

- Enjoy constant access to all your data thanks to a versatile mobile device.
- ScrollWheel, long battery life with latest Li-Ion cells
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Ultimate connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Optional embedded 3G/UMTS, WLAN, Bluetooth® and integrated DisplayPort







Components

Operating systems						
Operating system	Windows® 7 Professional 64-bit					
operating system	Windows [®] 7 Holessional 04-bit Windows [®] 7 Home Premium 64-bit					
	Windows [®] 7 Home Basic (EM) 64-bit					
Operating system compatible	Windows® XP Professional					
	Windows Vista® Business 32-bit					
Operating system notes	Driver support for Microsoft [®] Windows [®] XP					
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM					
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM					
Base unit memory	LIFEBOOK P701 12.1-inch (Core i3-2330M) LIFEBOOK P701 12.1-inch (Core i5)					
Supported capacity RAM (max.)	8 GB					
Memory slots total	2					
Memory slot type	DIMM (DDR3)					
Memory notes	DDR3 - 1333 MHz					
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch					
	SSD SATA, 128 GB, 2.5-inch					
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.					
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.					
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.					
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows [®] XP optimized)					
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.					
	SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.					
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.					
Hard disk notes						
Hald disk holes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.					
	Accessible capacity may vary, also depending on used software.					
	Up to 18 GB of HDD space is reserved for system recovery					
	Internal HDD interface: S-ATA III (6GBit/s)					
WLAN (optional)	Atheros Minicard b/g/n					
··· = (op)	Intel® Centrino® 6205 802.11 a/b/q/n					
Wireless technologies						
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth antenna optional					
WLAN notes						
WiDi support	Import and usage according to country-specific regulations. Yes (with Intel W-LAN)					
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)					
Bluetooth (optional)	Bluetooth 3.0					
· · · · ·						
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, 1280 x 800 pixel, 300:1, 200 cd/m					
Base unit	LIFEBOOK P701 12.1-inch (Core i3-2330M) LIFEBOOK P701 12.1-inch (Core i5)					
General system information						
Processor	Intel [®] Core [™] i3-2330M* processor (2.20 GHz), 3 MB, Intel [®] Core [™] i5-2520M processor (2.5 GHz), 3 MB,					
Chipset	Intel [®] HM65					
BIOS features	BIOS based on Phoenix TrustedCore Notebook					
Processor notes	*Processor only for retail, SMB, education and government					

TFT resolution (VGA) TFT resolution (DVI on Port Replicator)	up to 2560 x 1600 up to 1920 x 1200				
TFT resolution (VGA) TFT resolution (DVI on Port Replicator)					
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200				
i	up to 1920 x 1200				
Graphics brand name	up to 1920 x 1200				
	Intel® HD Graphics 3000				
	DualView				
Graphics notes	Shared memory depending on main memory size and operating system				
Interfaces					
Memory card slots	1 (SD)				
•	1 (34 mm supported)				
SmartCard slot	1				
	1 (usable only with 3G/UMTS)				
	3 (1x with Anytime USB Charge functionality)				
	1				
	1				
	1				
	1				
	1				
Audio: line-out / headphone	1				
	1 (digital)				
	1 (digital) 1				
	1				
Wired communication					
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V				
Keyboard and pointing devices					
	Spill-resistant keyboard				
	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm				
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel				
	Optional: Fingerprint sensor				
	Application buttons				
Multimedia					
	On board				
••	Realtek ALC269				
	Stereo speakers				
	Optional: Built-in webcam, 1.3 megapixel				
Power supply					
-	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology				
-	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter				
	19 V / 120 W (6.32 A), 110 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter				
	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh				
	Li-lon battery 6-cell, 6200 mAh, 67 Wh				
•	up to 10 h				
, , , , ,	~160 min (5,800 mAh) ~ 180 min (6,200 mAh)				
	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.				
	Rapid charge with 5,800 mAh batteries				
Power consumption					
	See white paper Energy Consumption				
•	http://docs.ts.fujitsu.com/dl.aspx?id=7d90d0ea-5806-4a02-b910-ad31d27cfc5a				
	ייייייטעכאנאנען וויטוגטגעטוויטוגטאאר ועד א טאטעעפראטעטראַטערייסעט ועצ אנוגעעוויטוגטאאר ועד א טאטעעפראטעט אינער 				
Dimensions / Weight / Environmental					
Dimensions (W x D x H)	283 x 215 x 26 (front) / 33 (rear) mm				

Dimensions / Weight / Environmental						
Weight	1.56 kg					
Weight notes	Actual weight may vary depending on configuration					
Operating ambient temperature	5 - 35°C					
Operating relative humidity	20 - 85 % (running)					
Additional Software						
Additional software (preinstalled)	Adobe® Reader®					
Additional software (premistance)	Application Panel					
	Display Manager					
	ShockSensor Utility					
	Power Saving Utility					
	Plugfree Network					
	EasyGuide online user documentation					
	Nero Essentials S (burning software)					
	Norton Internet Security (incl. Firewall) 60 days version					
	Fujitsu Recovery (Hard Disk Based Recovery)					
	Microsoft [®] Office Starter: reduced-functionality Word and Excel [®] only, with advertising. No PowerPoint [®] or Outlook [®] .					
	Buy Office 2010 to use the full-featured software.					
Additional software (optional)	Drivers & Utilities DVD (DUDVD)					
	UMTS connection manager (optional with UMTS)					
Manageability						
Manageability technology	DeskUpdate Driver management					
Manageability software	DeskView 10.x client management including:					
DeskView components	BIOS Management					
	DeskView Helpdesk Integration					
	Detailed system inventory management and reports					
	On/Offline remote client management					
	Remote power management					
	Security Remote Control System notifications					
	WoL (Wake on LAN)					
Supported standards	WMI					
Supported standards	PXE					
	BootP (made4you)					
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html					
Security						
System protection	Kensington Lock support					
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®)					
	Optional: Trusted platform module (TPM 1.2)					
	Norton Internet Security (incl. Firewall) 60 days version					
Access protection	Optional: Integrated fingerprint sensor including OmniPass software					
	Integrated SmartCard slot					
	Hard disk password					
	User and supervisor BIOS password					
Compliance						
Europe	CE					
	Nordic Swan					
Global	RoHS (Restriction of hazardous substances)					
	WEEE (Waste electrical and electronic equipment)					
	Microsoft Operating Systems (HCT / HCL entry / WHQL)					
	WiFi certified					
	ENERGY STAR® 5.0					
	EPEAT [®] Gold (dedicated regions)					
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/					

Port Replicator interfaces (optional)					
DC-in	1 (19V)				
Power on switch	1				
USB 2.0 total	4				
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.				
VGA	1				
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)				
Ethernet (RJ-45)	1 (10/100/1000)				
eSATA	1				
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage				
Warranty					
Standard Warranty	1 year				
Service level Maintenance and Support Services - t	Collect & Return Service / Bring-in Service (depending on country specific requirements) he perfect extension				
Decommonded Corvice					

Recommended Service5x9, Response Time: Next Business DaySpare Parts availability5 yearsService Weblinkhttp://www.fujitsu.com/fts/services/support





Recommended Accessories

Port Replicator		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.	
LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)	-	The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.	
Microsaver® DS Ultra thin		The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.	Order Code: S26361-F1650-L900
Supreme Case Midi 13	-	The Supreme Case Midi 13 protects notebooks with up to 13 inch screens. A padded notebook compartment with shock-absorbing foam ensures your notebook is well protected. A further pocket is provided for storage of power adaptors and office supplies. With its leather finish and professional design, it is ideal as a functional business case.	

SOUNDSYSTEM DS P2100 Tube



HS S2000NC Headset



Taking inspiration from a hi-fi sound bar, the Fujitsu SOUNDSYSTEM DSOrder Code:P2100 Tube presents you with living room design art pieces for acoustic
enjoyment. Automatic amplifier adjustment ensures extremely lowS26391-F7128-L500distortion, which will protect the hearing and avoid speaker damage. With
new convenient volume control- Fade-in & Fade-out audio effect. The small
& robust satellite speaker is decorated with a deluxe piano finish and the
aluminum tube is adorned with a fine print of an exotic motif at its base.Order Code:The HS S2000NC Headset offers more than current headsets. Besides superb
sound quality, the headset provides an impressive feature: a button to
switch off noise and disburden your ears of unwanted noise level.S26391-F7139-L3Thanks to a special technology based on wave inversion this headsetS26391-F7139-L3

reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for

long hours travelling by rail or air.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK P701, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P701, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-07-25 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions