

◀ DITCH WITCH DIGGING SYSTEMS CATALOG

PERFORMANCE PARTS

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-8
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

сайт: <http://www.ditch.nt-rt.ru/> || эл. почта: dhc@nt-rt.ru



DITCH WITCH Digging Systems

- 8 33K/35K
- 20 50K
- 32 70K/110K
- 52 150K/225K
- 68 Plow Blade
- 76 Earth Saw
- 78 Roto Witch®
- 84 Electronics

DITCH WITCH Ownership Experience

It Starts With Your Dealer.

The finest light construction equipment deserves the best support—the philosophy that guides every Ditch Witch® dealer. No matter which one of our 100-plus worldwide locations you choose, you'll find a total support system encompassing everything you need—from the equipment that best suits your application to the expert service and support that keep your equipment in optimal performance condition. And everything in between.

The Parts You Need—When You Need Them.

We can guarantee the superior quality and performance of our parts because we design, test and manufacture each part to provide optimal performance with its compatible equipment. We are the only underground construction equipment manufacturer that does this. Why? Because we believe there is no such thing as an unimportant part. And you can find a large inventory of genuine Ditch Witch parts, for equipment new and old, at your Ditch Witch dealer. If we don't have the part you need, we can get it fast—usually within 24 hours.

Expert Service.

Our professional service technicians are factory-trained to know everything there is to know about Ditch Witch equipment maintenance and repair. When you trust your equipment with us, you can be certain it is in good hands.

The Value Of Experience.

The overall value of your Ditch Witch equipment—the productivity you realize with these industry-leading machines—is second to none in terms of dollars and cents. But there are intangibles inherent with your equipment, like dealer expertise, that take the concept of value to a higher level. Ditch Witch dealers are veterans of the underground construction industry. As a Ditch Witch equipment owner, you have their many years of experience and regional knowledge of soil conditions at your disposal.



Chain Selector

Key ●=Best ◐=Better ○=Good

	Sandy Soil	Soft Soil	Medium Soil	Hard Soil	Rocky Soil	Sticky Soil
4 Pitch DuraTooth	◐	●	◐	○		●
4 Pitch DuraTooth C2X	◐	●	◐	○		●
2 Pitch DuraTooth	●	◐	●	●	○	
2 Pitch DuraTooth C2X	●	◐	●	●	○	
Shark Chain II	○	◐	●	◐	●	
Weld-on Alligator				◐	●	
Bolt-on Alligator			○	◐	●	
Bolt-on Alligator K-style			◐	●	●	
Shark/DuraTooth Combo			◐	●	●	
Shark/DuraTooth C2X Combo			◐	●	●	
Alligator/DuraTooth Combo			◐	●	●	
Alligator/DuraTooth C2X Combo			◐	●	●	
Alternating Side Bar						●
Bolt-on Shark			◐	●	●	



Chain Identification Guide

PITCH TYPES



4 PITCH



2 PITCH



DURATOOTH® – LEFT AND RIGHT



DURATOOTH C2X® – LEFT AND RIGHT



1 PITCH

MEASURING PITCH

Pitch size is measured from the center of a chain pin to the center of the next. This chain is 12 pitches long.

PITCH SIZES: 1.686", 2.000", 3.110", 4.500", 4.540"

DITCH WITCH 33K/35K Digging Systems

When it comes to power, performance, durability and ease of use, Ditch Witch walk-behind trenchers are in a league of their own. But they didn't build this reputation with any old chain. Every component of every Ditch Witch digging system is meticulously engineered and manufactured to maximize the productivity and efficiency of every Ditch Witch machine. Simply put, there is no digging system that even comes close.





33K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER
16	137-014
44	131-294
52	137-015
62	137-016
92	137-018

BARE CHAIN 4 PITCH



PITCH LENGTH	PART NUMBER
16	137-010
44	131-293
52	137-011
60	131-296
62	137-017
68	131-044
72	137-012
74	131-297
84	131-045
90	137-013
100	131-046

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER	
	4"	6"
44	131-292	
52	133-024	133-023
60		133-022
62	131-021	
68	133-025	133-027
84	133-026	133-028



33K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

DURATOOTH 4 PITCH



PITCH LENGTH	PART NUMBER					
	3"	4"	6"	8"	10"	12"
52		133-030	133-031		133-033	
60						131-295
62	133-080	133-081	133-082			
68	133_039	133-040	133-041	133-042	133-043	133-044
74				131-298		
84	133-049	133-050	133-051	133-052		133-054

SHARK II



PITCH LENGTH	PART NUMBER	
	4"	6"
52	131-146	131-180
62	131-320	131-321
68	131-148	131-182
84	131-149	131-183

BOLT-ON SHARK



PITCH LENGTH	PART NUMBER
	4"
52	133-148
62	133-153
68	133-149

BOLT-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
	4"
52	133-150



33K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

ALLIGATOR/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER
	4"
52	131-401
62	131-406
68	131-402
84	131-403

SHARK/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER
	4"
52	131-409
62	131-414
68	131-410
84	131-411

REPAIR STATION



PART NUMBER
131-035

MASTER PINS



PART NUMBER	DESCRIPTION
135-1027	CHAIN PIN
135-1085	LOCK KEY



33K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

AUGERS



PART NUMBER	MODEL
145-309	1030/1230
320-267	1330
145-285	1820
145-206	SK5TR
300-8782	RT10, RT12, RT24

TOOTH ADAPTERS



PART NUMBER	DESCRIPTION	SIZE
136-029	TOOTH SPACER	1 IN
136-047	TOOTH ADAPTER	8 IN WIDTH
136-048	TOOTH ADAPTER	10 IN WIDTH
136-049	TOOTH ADAPTER	12 IN WIDTH
136-050	TOOTH ADAPTER	14 IN WIDTH
136-051	TOOTH ADAPTER	16 IN WIDTH



35K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER
16	137-208
52	137-209
62	137-210
92	137-211

DURATOOTH



PITCH LENGTH	PART NUMBER	
	4"	6"
52	137-218	137-217
62	137-215	137-216
68	137-219	137-221
84	137-320	137-222

BOLT-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
	4"
52	137-223
62	137-224
68	137-225

BOLT-ON SHARK



PITCH LENGTH	PART NUMBER
	4"
52	137-226
62	137-227
68	137-228



35K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

SHARK II



PITCH LENGTH	PART NUMBER	
	4"	6"
52	131-146	131-180
60	131-147	131-181
62	131-320	131-321
68	131-148	131-182
84	131-149	131-183

ALLIGATOR/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER	
	6"	
52	137-229	
62	137-230	
68	137-231	
84	137-232	

SHARK/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER	
	4"	
52	137-233	
62	137-235	
68	137-236	
84	137-237	

REPAIR STATION



PART NUMBER

131-001



35K CHAIN

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

MASTER PIN



PART NUMBER	DESCRIPTION
135-1028	CHAIN PIN
135-1085	LOCK KEY

AUGER



PART NUMBER	MODEL
145-309	1030/1230
320-267	1330
145-285	1820
145-206	SK5TR
300-8782	RT10, RT12, RT24

TOOTH ADAPTER



PART NUMBER	DESCRIPTION	SIZE
136-029	TOOTH SPACER	1 IN
131-003	CAST TOOTH ADAPTER	8 IN WIDTH
131-004	CAST TOOTH ADAPTER	10 IN WIDTH
131-005	CAST TOOTH ADAPTER	12 IN WIDTH



33K/35K TOOTH & BIT

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

DURATOOTH



PART NUMBER

135-1230 RIGHT

135-1231 LEFT

BOLT-ON SHARK TOOTH®



PART NUMBER

135-637 RIGHT

135-638 LEFT

135-639 CENTER

BITS



PART NUMBER

131-259

BIT HOLDERS



PART NUMBER

136-163 RIGHT

136-164 CENTER

135-165 LEFT



33K/35K SPROCKET & ROLLER

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

HEADSHAFT SPROCKET



PART NUMBER	MODEL
140-703 (9T)	1030, 1230, 1330
142-039 (10T)	1030, 1230, 1330
300-0081 (12T)	R10, RT12
141-759 (SK5TR)	

SPLIT HEADSHAFT SPROCKET 10T



PART NUMBER
142-109

TAIL SPROCKET ASSY



PART NUMBER	DESCRIPTION	MODEL
140-653	12T TAIL SPROCKET ASSY	1820
140-1099	14T TAIL SPROCKET ASSY	1030, 1230, 1330
142-754	TAIL ROLLER ASSEMBLY	
140-1104	GREASABLE TAIL ROLLER ASSEMBLY	



33K/35K ASSEMBLY BOOM

1030, 1230, 1330, 1820, RT10, RT12,
RT24, SK350, SK500, SK650, R150,
R230, R300, XT855

ROLLER BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
18"	44P	141-775
24"	52P	141-792
30"	62P	141-793
36"	68P	141-791
48"	84P	140-531

GREASABLE TAIL ROLLER BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
18"	44P	140-1110
24"	52P	140-1112
30"	62P	140-1113
36"	68P	140-1111
48"	84P	140-1106

ROLLER BOOM GREASABLE TENSION



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
24"	52P	141-794
30"	62P	141-795
36"	68P	141-796

SPLIT BOOM ASSEMBLY ROLLER



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
24"	52P	140-1162
30"	62P	140-1163



33K/35K ASSEMBLY BOOM

1030, 1230, 1330, 1820, RT10, RT12, RT24, SK350, SK500, SK650, R150, R230, R300, XT855

GREASABLE ROLLER SPLIT BOOM

DIGGING DEPTH	PITCH LENGTH	PART NUMBER
24"	52P	140-1122
30"	62P	140-1123



SPLIT BOOM ASSEMBLY SPROCKET

DIGGING DEPTH	PITCH LENGTH	PART NUMBER
24"	52P	140-1101
30"	62P	140-1100



SPROCKET BOOM

DIGGING DEPTH	PITCH LENGTH	PART NUMBER
36"	68P	140-060
48"	84P	140-060, 140-551 BOOM EXTENSION



GREASABLE ROLLER BOOM GREASABLE ADJUSTMENT

DIGGING DEPTH	PITCH LENGTH	PART NUMBER
24"	52P	140-1114
30"	62P	140-1115
36"	68P	140-1116



* XT855 REQUIRES 90P OF CHAIN FOR 48" DEPTH

DITCH WITCH 50K DIGGING SYSTEMS

Ditch Witch trenchers and compact utility equipment lead the industry in productivity not because of their power but because of how their power is directed to the business end of the machine. No underground construction equipment manufacturer better understands the connection between power and performance, and more effectively applies that understanding, than the Ditch Witch organization.





50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER
12	138-217
16	138-219
24	138-216
68	138-218
72	138-215

BARE CHAIN 4 PITCH



PITCH LENGTH	PART NUMBER
12	138-210
16	138-211
24	138-212
64	131-136
68	138-213
72	138-214

ALTERNATING SIDE BAR BARE CHAIN



PITCH LENGTH	PART NUMBER
12	138-279
16	138-278
24	138-280
72	138-281

ALTERNATING SIDE BAR CHAIN ASSEMBLY



PITCH LENGTH	PART NUMBER	
	5"	6"
68	133-282	133-283
88	133-222	133-298
112	133-305	133-299



50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER				
	5"	6"	8"	10"	12"
54				131-115	131-116
64	131-137	131-138			
68	133-322	133-293	131-009		131-011
72	133-324	133-290			
80	133-358	133-359	131-012	131-013	131-014
84	133-356	133-325	131-015	131-016	131-017
88	133-330	133-294			
92	133-360	133-361			
96	133-331	133-291			
100	133-332	133-224			
108	133-333	133-292			
112	133-391	133-295			
116	133-364				

DURATOOTH 4 PITCH



PITCH LENGTH	PART NUMBER				
	5"	6"	8"	10"	12"
68	133-234	133-235	133-236	133-239	
72	133-240				
75	133-315				
80	133-245	133-246	133-247		
84	133-357	133-326	133-327	133-328	133-329
88				133-303	
92	133-255				
96	133-317	133-250	133-251		133-252
108	133-259	133-260		133-267	
112	133-309	133-310			



50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

DURATOOTH C2X 2 PITCH



PITCH LENGTH	PART NUMBER				
	5"	6"	8"	10"	12"
54				135-1261	135-1262
64	135-1264	135-1265	135-1266		
68	135-1319	135-1305	135-1252	135-1253	135-1254
72	135-1320	135-1302			135-1251
80	135-1335	135-1344	135-1255	135-1256	135-1257
84	135-1333	135-1321	135-1258	135-1259	135-1260
88	135-1326	135-1306			
92	135-1336	135-1337			
94	135-1327				
96		135-1303			
100	135-1328	135-1279			
108	135-1329	135-1304			
112	135-1346	135-1307			
116	135-1338				

DURATOOTH C2X 4 PITCH



PITCH LENGTH	PART NUMBER				
	5"	6"	8"	10"	12"
64	135-1268	135-1269	135-1270		
68	135-1281	135-1282	135-1283	135-1285	135-1284
72	135-1286			135-1299	135-1287
75	135-1314				
80	135-1288	135-1289	135-1290		
84	135-1334	135-1322	135-1323	135-1324	135-1325
88	135-1309			135-1310	
92	135-1295	135-1296			
96	135-1315	135-1292	135-1293		135-1294
100	135-1280				
108	135-1297	135-1298			
112	135-1312	135-1313			
116	135-1340				
124	135-1317	135-1318			
144	135-1342				



50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

BOLT-ON SHARK/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER
	6"
80	131-412
84	131-413
96	131-416

BOLT-ON SHARK/DURATOOTH C2X COMBO



PITCH LENGTH	PART NUMBER
	6"
80	135-1275
84	135-1276
96	135-1278

ALLIGATOR/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER
	6"
80	131-404
84	131-405
96	131-408

ALLIGATOR/DURATOOTH C2X COMBO



PITCH LENGTH	PART NUMBER
	6"
68	135-1273
80	135-1271
84	135-1272
96	135-1274



50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

SHARK II



PITCH LENGTH	PART NUMBER	
	6"	8"
80	131-172	
84	131-173	
96	131-174	

BOLT-ON SHARK



PITCH LENGTH	PART NUMBER
84	132-303

WELD-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
80	131-050
84	131-096
96	131-097

REPAIR STATION



PART NUMBER	DESCRIPTION
131-131	REPAIR STATION
135-1067	CHAIN PIN
135-1086	LOCK KEY



50K CHAIN

3610, RT36, 3700, RT40, RT45, XT1600

AUGER



PART NUMBER	DESCRIPTION
145-070 RIGHT	LONG AUGER
145-071 LEFT	LONG AUGER
145-109 RIGHT	SHORT AUGER
145-110 LEFT	SHORT AUGER

TOOTH ADAPTER



PART NUMBER	SIZE
135-912	8" WIDTH
135-950	10" WIDTH
136-913	12" WIDTH
135-914	16" WIDTH



50K TOOTH & BIT

3610, RT36, 3700, RT40, RT45, XT1600

DURATOOTH



PART NUMBER

135-1236
LEFT

135-1233
RIGHT

DURATOOTH C2X



PART NUMBER

135-1234
RIGHT

135-1237
LEFT

BOLT-ON SHARK ADAPTER



PART NUMBER

136-236
LEFT INLINE

136-237
RIGHT INLINE

136-238
RIGHT OUTSIDE

136-239
LEFT OUTSIDE

136-240
LEFT WIDE

136-241
RIGHT WIDE



50K TOOTH & BIT

3610, RT36, 3700, RT40, RT45, XT1600

BOLT-ON BIT ADAPTER



PART NUMBER

136-036
LEFT INLINE

136-037
RIGHT INLINE

136-038
RIGHT OUTSIDE

136-039
LEFT OUTSIDE

136-040
LEFT WIDE

136-041
RIGHT WIDE

INSERT BIT



PART NUMBER

DESCRIPTION

136-100 CAP BIT

136-101 INSERT BIT

136-102 INSERT BIT



50K SPROCKET & ROLLER

3610, RT36, 3700, RT40, RT45, XT1600

SPROCKETS



PART NUMBER	DESCRIPTION
142-005	10T SPLIT HEADSHAFT SPROCKET
142-029	12T HEADSHAFT SPROCKET
142-030	14T HEADSHAFT SPROCKET
142-044	14T SPLIT HEADSHAFT SPROCKET
142-127	12T SPLIT HEADSHAFT SPROCKET
142-031	14T AUGER SPROCKET

TAIL ROLLER



PART NUMBER	DESCRIPTION
142-751	TAIL ROLLER (INCLUDES BEARINGS)



50K BOOM

3610, RT36, 3700, RT40, RT45, XT1600

LARGE TAIL ROLLER BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
36"	80P	143-181
48"	84P	143-180
42"	84P	143-050 GREASE CYLINDER H314, H350, H516, H553
52"	96P	143-060 GREASE CYLINDER H314, H350, H516, H553

STS STANDARD BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
36"	80P	140-124 RT55 33" 82P ON H516 & H553
48"	96P	140-125 RT55 46" 98P ON H516 & H553
60"	108P	140-330 RT55 58" 110P ON H516 & H553

STS WEAR BAR BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
44"	72P	140-616
60.5"	88P	140-622

DITCH WITCH 70K/110K Digging Systems

Superior-quality Ditch Witch chains, specially manufactured headshaft sprockets, and digging teeth are designed to work together as a system to provide unparalleled trenching performance.





70K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER
8	138-701
16	138-702
50	138-703
62	138-704

BARE CHAIN 4 PITCH



PITCH LENGTH	PART NUMBER
8	138-509
16	138-510
62	138-511

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER	
	6"	10"
62	133-726	133-728

DURATOOTH 4 PITCH



PITCH LENGTH	PART NUMBER	
	6"	8"
62	133-534	133-535
70	133-544	
78	133-554	133-555
94	133-564	



70K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

DURATOOTH C2X 2 PITCH



PITCH LENGTH	PART NUMBER	
	6"	10"
62	135-1380	135-1381
68	135-1382	
76	135-1383	

DURATOOTH C2X 4 PITCH



PITCH LENGTH	PART NUMBER	
	6"	8"
62	135-1374	135-1375
70	135-1376	
78	135-1377	135-1378
94	135-1379	

BARE ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER
8	139-701
16	139-702
62	139-704

2 PITCH DURATOOTH ANTI-BACKFLEX



PITCH LENGTH	PART NUMBER	
	6"	8"
70	134-736	
78	134-747	



70K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

DURATOOTH C2X ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER		
	6"	7"	8"
62	135-1396		
70	135-1397		
78	135-1398		

BOLT-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
	6"
62	135-776
70	135-777
78	135-778
94	135-779

BOLT-ON ALLIGATOR ANTI-BACKFLEX



PITCH LENGTH	PART NUMBER
	6"
62	137-776
70	137-777
78	137-778
94	137-779

STANDARD REPAIR STATION



PART NUMBER
135-1182



70K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

PREMIUM REPAIR STATION



PART NUMBER

135-1187

MASTER PIN



PART NUMBER

135-1145

DESCRIPTION

PIN

135-1176

LOCK KEY

AUGER



PART NUMBER

145-071 LEFT

DESCRIPTION

LONG

145-070 RIGHT

LONG

145-109 LEFT

SHORT

145-110 RIGHT

SHORT

TOOTH ADAPTER



PART NUMBER

135-901

SIZE

8" WIDTH

135-902

10" WIDTH

135-903

12" WIDTH

135-904

16" WIDTH



70K/110K TOOTH & BIT

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

DURATOOTH

PART NUMBER

135-1239 LEFT

135-1242 RIGHT



DURATOOTH C2X

PART NUMBER

135-1240 LEFT

135-1243 RIGHT



BOLT-ON SHARK TOOTH®

PART NUMBER

136-273
RIGHT OUTSIDE

136-274
LEFT OUTSIDE

136-275
LEFT INSIDE

136-276
RIGHT INSIDE



BOLT-ON ALLIGATOR BIT HOLDERS

PART NUMBER

135-973
LEFT OUTSIDE

135-974
RIGHT OUTSIDE

135-975
LEFT INSIDE

135-976
RIGHT INSIDE





70K/110K TOOTH & BIT

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

ALLIGATOR INSERT BIT



PART NUMBER	DESCRIPTION
136-100	CAP BIT
136-101	INSERT BIT
136-102	INSERT BIT



70K/110K SPROCKET & ROLLER

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

HEADSHAFT SPLIT SPROCKET



PART NUMBER	DESCRIPTION
141-740	12T

IDLER SPROCKETS



PART NUMBER	DESCRIPTION
142-038	10T - RT55
140-665	10T - RT55

TAIL ROLLER



PART NUMBER	DESCRIPTION
142-756	TAIL ROLLER (RT80 - L/BEARINGS)
142-757	TAIL ROLLER (RT55 - L/BEARINGS)
129-013	HD TAIL ROLLER (RT55 - L/BEARINGS)



70K/110K BOOM

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

LARGE TAIL ROLLER BOOM WITH WEAR BAR



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
39"	52P	143-120
52"	62P	143-130
62"	78P	143-375

SMALL TAIL SPROCKET BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
52"	62P	140-128
62"	78P	140-331
84"	94P	140-1186



110K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER
4	138-413
8	138-412
10	138-414
16	138-410
62	138-411

BARE CHAIN K-STYLE 2 PITCH



PITCH LENGTH	PART NUMBER
8	131-244
62	131-241
64	131-242
70	131-243

BARE CHAIN 4 PITCH



PITCH LENGTH	PART NUMBER
8	138-471
16	138-472
62	138-473

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER	
	8"	11"
62	133-421	
78	133-431	133-433



110K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

DURATOOTH C2X 2 PITCH



PITCH LENGTH	PART NUMBER				
	7"	8"	10"	12"	15"
60		135-1416	135-1417	135-1418	
62	135-1360	135-1361		135-1362	
70	135-1369	135-1370	135-1371	135-1372	135-1373
78	135-1363	135-1364		135-1365	135-1366
94	135-1367	135-1368			

BARE CHAIN ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER
8	139-412
16	139-410
62	139-411

DURATOOTH C2X ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER					
	7"	8"	10"	11"	12"	15"
60		135-1430	135-1431		135-1432	
62	135-1384	135-1385	135-1386		135-1387	
70	135-1391	135-1392	135-1393	135-1394		135-1395
78	135-1388	135-1389			135-1390	

BOLT-ON SHARK/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER 6"
62	131-264
70	131-266
78	131-268



110K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

BOLT-ON SHARK/DURATOOTH C2X COMBO



PITCH LENGTH	PART NUMBER
	6"
62	135-1351
66	135-1352
70	135-1353
72	135-1354
78	135-1355

BOLT-ON ALLIGATOR/DURATOOTH COMBO



PITCH LENGTH	PART NUMBER
	6"
62	131-269
70	131-270
78	131-271

BOLT-ON/DURATOOTH C2X ALLIGATOR COMBO



PITCH LENGTH	PART NUMBER
	6"
62	135-1356
70	135-1357
72	135-1359
78	135-1358

BOLT-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
	6"
62	135-485
70	135-486
78	135-487
94	135-488



110K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

WELD-ON ALLIGATOR



PITCH LENGTH	PART NUMBER	
	6"	7"
4	135-1081	
8	135-1080	
62	135-491	
64	135-492	
70	135-493	135-1079

ALLIGATOR K-STYLE



PITCH LENGTH	PART NUMBER			
	8"	10"	12"	14"
62	131-245		131-249	131-253
70	131-247	131-251	131-255	
78	131-248		131-252	131-256

SHARK II



PITCH LENGTH	PART NUMBER	
	6"	8"
62	131-194	131-197
70	131-196	131-199
78	131-257	131-258

REPLACEABLE BIT SHARK II



PITCH LENGTH	PART NUMBER	
	6"	8"
62	131-277	131-281
	REQUIRES 42 BITS	REQUIRES 67 BITS
70	131-279	131-283
	REQUIRES 47 BITS	REQUIRES 76 BITS
78	131-280	131-284
	REQUIRES 52 BITS	REQUIRES 85 BITS



70K/110K CHAIN

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

STANDARD REPAIR STATION



PART NUMBER	DESCRIPTION
-------------	-------------

135-1183	
135-1136	MASTER PIN
135-1176	LOCK KEY

PREMIUM REPAIR STATION



PART NUMBER

135-1188

AUGER



PART NUMBER	DESCRIPTION
-------------	-------------

145-071 LEFT	LONG
145-070 RIGHT	LONG
145-110 LEFT	SHORT
145-109 RIGHT	SHORT

TOOTH ADAPTER



PART NUMBER	SIZE
-------------	------

135-901	8" WIDTH
135-902	10" WIDTH
135-903	12" WIDTH
135-904	16" WIDTH



70K/110K TOOTH & BIT

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

DIGGING TEETH



PART NUMBER

135-1239 LEFT

135-1242 RIGHT

DURATOOTH C2X



PART NUMBER

135-1240 LEFT

135-1243 RIGHT

BOLT-ON SHARK TOOTH®



PART NUMBER

136-273
RIGHT OUTSIDE

136-274
LEFT OUTSIDE

136-275
LEFT INSIDE

136-276
RIGHT INSIDE

BOLT-ON BIT HOLDER



PART NUMBER

135-973
LEFT OUTSIDE

135-974
RIGHT OUTSIDE

135-975
LEFT INSIDE

135-976
RIGHT INSIDE



70K/110K TOOTH & BIT

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

ALLIGATOR INSERT BIT (.765 DIAMETER)



PART NUMBER	DESCRIPTION
136-100	CAP BIT
136-101	INSERT BIT
136-102	INSERT BIT

WELD-ON AND K-STYLE ALLIGATOR INSERT BIT (.875 DIAMETER)



PART NUMBER	DESCRIPTION
131-290	CAP BIT
136-222	INSERT BIT
131-828	RETAINER RING

REPLACEABLE SHARK BIT



PART NUMBER	DESCRIPTION
401-277	SHARK BIT



70K/110K SPROCKET & ROLLER

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

HEADSHAFT SPROCKET



PART NUMBER	DESCRIPTION
140-717	SPLIT 10T
141-589	SPLIT 11T
141-740	SPLIT 12T
142-009	SOLID 10T

IDLER SPROCKET



PART NUMBER	DESCRIPTION
140-656	9T (INCLUDES BEARINGS)

AUGER SPROCKET



PART NUMBER	DESCRIPTION
140-665	10T



70K/110K SPROCKET & ROLLER

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

TAIL ROLLER



PART NUMBER	DESCRIPTION
142-757	19 IN. TAIL ROLLER (L/ BEARINGS)
129-013	HD TAIL ROLLER (L/ BEARINGS)



70K/110K SPROCKET & ROLLER

RT55, RT70, RT75, RT80, RT90, RT95,
RT115, HT115, RT115 QUAD

LARGE TAIL ROLLER BOOM W/OUT WEAR BAR



DIGGING DEPTH	PITCH LENGTH	PART NUMBER	
		BOOM	BOOM TUBE
48"	62	140-545	140-1128
58"	70	140-545	140-1129
69"	78	140-545	140-1130
90"	94	140-545	140-1131

LARGE TAIL ROLLER W/WEAR BAR



DIGGING DEPTH	PITCH LENGTH	PART NUMBER			
		TAIL ROLLER BOOM		HEAVY DUTY BOOM	
		BOOM	BOOM TUBE	BOOM	BOOM TUBE
48"	62	145-546	140-1128	141-659	140-1128
58"	70	145-547	140-1129	141-658	140-1129
69"	78	145-548	140-1130	141-660	140-1130

SMALL TAIL SPROCKET BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
45"	62	143-205
52"	68	143-206
65"	78	143-207
93"	94	143-208

DITCH WITCH 150K/225K Digging Systems

Superior-quality Ditch Witch chains, specially manufactured headshaft sprockets, and digging teeth are designed to work together as a system to provide unparalleled trenching performance.





150K CHAIN

RT185, HT185

150K CHAIN

CHAIN 2 PITCH BARE



PITCH LENGTH	PART NUMBER
12	135-808
16	135-086
28	135-694
48	135-812

ANTI-BACKFLEX 2 PITCH BARE



PITCH LENGTH	PART NUMBER
6	137-807
12	137-808
48	137-812

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER		
	8"	10"	12"
60		133-837	133-838
64		131-524	131-525
72	133-849		
76		131-527	131-528

DURATOOTH C2X 2 PITCH



PITCH LENGTH	PART NUMBER		
	8"	10"	12"
48			135-1415
60	135-1416	135-1417	135-1418
64		135-1410	135-1411
72	135-1421		
76		135-1412	135-1413



150K CHAIN

RT185, HT185

DURATOOTH C2X ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER		
	8"	10"	12"
48	135-1414		
60	135-1430	135-1431	135-1432

DURATOOTH ANTI-BACKFLEX 2 PITCH



PITCH LENGTH	PART NUMBER		
	8"	10"	12"
48	134-823		
60	134-836	134-837	134-838

BOLT-ON ALLIGATOR



PITCH LENGTH	PART NUMBER
	8"
48	135-813
72	135-815

STANDARD REPAIR STATION



PART NUMBER
135-1184



150K CHAIN

RT185, HT185

150K CHAIN

PREMIUM REPAIR STATION



PART NUMBER
135-1177

MASTER PIN



PART NUMBER	DESCRIPTION
135-1147	PIN
135-1178	LOCK KEY

TOOTH ADAPTER



PART NUMBER	SIZE	DESCRIPTION
136-009	1/2"	TOOTH SPACER
136-212	14"-16"	TOOTH ADAPTER
136-213	18"-20"	TOOTH ADAPTER
136-214	22"-24"	TOTTH ADAPTER



150K TOOTH & BIT

RT185, HT185

DURATOOTH



PART NUMBER	DESCRIPTION
135-1245 LEFT	STANDARD
135-1248 RIGHT	STANDARD

DURATOOTH C2X



PART NUMBER	DESCRIPTION
135-1246 LEFT	PREMIUM
135-1249 RIGHT	PREMIUM

INSERT BIT



PART NUMBER	DESCRIPTION
131-192	FLARED CAP BIT
131-276	INSERT BIT
131-828	RETAINER RING



150K SPROCKET & ROLLER

RT185, HT185

HEADSHAFT SPROCKET



PART NUMBER

142-090

TAIL ROLLER ASSY (L/BEARINGS)



PART NUMBER

337-390

DESCRIPTION

ROLLER



150K BOOM

RT185, HT185

LARGE TAIL ROLLER BOOM



DIGGING DEPTH	PITCH LENGTH	PART NUMBER
59"	64	143-380
83"	76	143-381



225K CHAIN

RT185, HT185

BARE CHAIN 2 PITCH



PITCH LENGTH	PART NUMBER	
	9"	
26	131-019	
38	131-018	

BARE CHAIN K-STYLE 2 PITCH



PITCH LENGTH	PART NUMBER	
	26	131-031
38	131-020	

DURATOOTH 2 PITCH



PITCH LENGTH	PART NUMBER			
	9"	12"	18"	24"
64	131-513	131-523	131-522	131-514
76	131-512	131-507	131-511	

DURATOOTH C2X 2 PITCH



PITCH LENGTH	PART NUMBER			
	9"	12"	18"	24"
64	135-1406	135-1409	135-1408	135-1407
76	135-1405	135-1403	135-1404	



225K CHAIN

RT185, HT185

BOLT-ON ALLIGATOR K-STYLE



PITCH LENGTH	PART NUMBER	
	9"	12"
64	131-521	131-509
76	131-520	131-506

M-STYLE REPAIR STATION



PART NUMBER
135-1186

K-STYLE REPAIR STATION



PART NUMBER
135-1189

MASTER PIN



PART NUMBER	DESCRIPTION
135-1148	PIN
135-1178	LOCK KEY



225K CHAIN

RT185, HT185

AUGER



PART NUMBER	DESCRIPTION
140-668 RIGHT	LONG
140-669 LEFT	LONG
145-109 RIGHT	SHORT
145-110 LEFT	SHORT

TOOTH ADAPTER



PART NUMBER	SIZE	DESCRIPTION
136-009	1/2"	TOOTH SPACER
136-212	14"-16"	TOOTH ADAPTER
136-213	18"-20"	TOOTH ADAPTER
136-214	22"-24"	TOTTH ADAPTER



225K TOOTH & BIT

RT185, HT185

DURATOOTH



PART NUMBER	DESCRIPTION
135-1245 LEFT	STANDARD
135-1248 RIGHT	STANDARD

DURATOOTH C2X



PART NUMBER	DESCRIPTION
135-1246 LEFT	PREMIUM
135-1249 RIGHT	PREMIUM

INSERT BIT



PART NUMBER	DESCRIPTION
131-192	FLARED CAP BIT
131-276	INSERT BIT
131-828	RETAINER RING



225K SPROCKET & ROLLER

RT185, HT185

HEADSHAFT SPROCKET



PART NUMBER

142-090

TAIL ROLLER ASSY (L/BEARINGS)



PART NUMBER

337-390

DESCRIPTION

ROLLER



225K BOOM


RT185, HT185

LARGE TAIL ROLLER BOOM




DIGGING DEPTH	PITCH LENGTH	PART NUMBER
59"	64	143-380
83"	76	143-381

DIGGING SYSTEMS Best Practices



Worn Chain Roller



Worn Digging Teeth



Worn Side Bar

Three Cardinal Rules

No matter what brand you use, always follow the three cardinal rules for digging systems:

1. Replace sprockets and digging chains at the same time—replacing one without the other will cause premature wear of the new components.
2. Replace worn digging teeth.
3. Maintain the proper tension on the digging chain—refer to your operator's manual for the correct tension.

Your Ditch Witch dealer can help you determine the right digging chain and tooth configuration for your application.



Worn Sprocket

Parts Descriptions

Worn Digging Teeth

Dull or worn digging teeth will not cut or carry soils out of the trench efficiently, leading to decreased productivity.

Worn Sprocket

Chain and sprockets have the same pitch dimensions. Changing one without changing the other will result in a mismatch and lead to premature wear of the new component.

Worn Chain Roller

Primary wear on a digging chain occurs at the chain roller. As chain rollers wear, they begin to resemble an apple core. At this point, the chain should be replaced to avoid potential downtime.

Worn Chain Side Bar

The secondary wear of a digging chain occurs on side bars. Sliding wear happens over time as the side bars move along the digging boom.



PLOW BLADE

ADJUSTABLE FEED BLADES



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-1010	12-18 IN	.75 IN	3.0 IN	420SX
185-1011	18-24 IN	.75 IN	3.0 IN	420SX
185-596	12-18 IN	1.0 IN	3.0 IN	420SX
185-597	18-24 IN	1.0 IN	3.0 IN	420SX
187-028	10-16 IN	.75 IN	.50 IN	420SX
186-913	12-24 IN	.50 IN	3.0 IN	RT45, SK7VP, 410SX (FIXED CHUTE ADJUSTABLE BLADE)
185-397	24-30 IN	.75 IN	3.0 IN	RT55
185-398	18-24 IN	.75 IN	3.0 IN	RT55
185-399	24-30 IN	1.0 IN	10 IN	RT55
185-400	18-24 IN	1.0 IN	10 IN	RT55
185-421	24-30 IN	1.5 IN	6.5 IN	RT55
185-422	18-24 IN	1.0 IN	6.5 IN	RT55
185-423	24-30 IN	2.0 IN	8.0 IN	RT55
185-424	18-24 IN	2.0 IN	8.0 IN	RT55
185-305	22-30 IN	1.0 IN	9.0 IN	RT95H, RT115H, RT115Q, HT115
185-306 WITH TOE	22-30 IN	1.0 IN	9.0 IN	RT95H, RT115H, RT115Q, HT115
185-311	22-30 IN	1.5 IN	9.0 IN	RT95H, RT115H, RT115Q, HT115
185-310 WITH TOE	22-30 IN	1.5 IN	9.0 IN	RT95H, RT115H, RT115Q, HT115
185-316	22-30 IN	2.0 IN	10 IN	RT95H, RT115H, RT115Q, HT115
185-315 WITH TOE	22-30 IN	2.0 IN	10 IN	RT95H, RT115H, RT115Q, HT115
185-283	28-36 IN	1.5 IN	7.5 IN	RT95H, RT115H, RT115Q, HT115
185-281 WITH TOE	28-36 IN	1.5 IN	7.5 IN	RT95H, RT115H, RT115Q, HT115
185-285	28-36 IN	2.0 IN	10 IN	RT95H, RT115H, RT115Q, HT115
185-284 WITH TOE	28-36 IN	2.0 IN	10 IN	RT95H, RT115H, RT115Q, HT115



PLOW BLADE

HYDRAULICALLY ADJUSTABLE



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-501	23-40 IN	2.0 IN	10 IN	HT115
185-549	23-40 IN	3.0 IN	14 IN	HT115
185-582	26-48 IN	2.0 IN	10 IN	HT115
185-574	26-48 IN	3.0 IN	14 IN	HT115

FEED BLADE



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-960	12 IN	.75 IN	3.0 IN	420SX
185-202	9.5 IN	.75 IN	.31 IN	SK5VP
186-463	12 IN	.75 IN	7.5 IN	SK5VP, R230, R300
185-1058	18 IN	.50 IN	1.5 IN	SK5VP, R230, R300
186-455	12 IN	.75 IN	3.0 IN	RT45, SK5VP, SK7VP, 410SX, R230, R300
186-507	18 IN	.75 IN	3.0 IN	RT45, SK7VP, 410SX
186-521	24 IN	.75 IN	3.0 IN	RT45, SK7VP, 410SX
186-528	18 IN	1.0 IN	10 IN	RT45, SK7VP, 410SX
186-754	12 IN	.375 IN	1.0 IN	100SXH
186-757	12 IN	.50 IN	1.0 IN	100SXH
185-334 WITH TOE	30 IN	1.0 IN	7.375 IN	RT95H, RT115H, RT115Q, HT115
185-333 WITH TOE	30 IN	1.5 IN	6.625 IN	RT95H, RT115H, RT115Q, HT115
185-332 WITH TOE	30 IN	2.0 IN	10 IN	RT95H, RT115H, RT115Q, HT115
185-335 WITH TOE	36 IN	1.5 IN	6.625 IN	RT95H, RT115H, RT115Q, HT115
185-329 WITH TOE	36 IN	2.0 IN	6.625 IN	RT95H, RT115H, RT115Q, HT115



PLOW BLADE

SPEED BLADE



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-1030	12-18 IN	.50 IN	1.5 IN	420SX
185-1057	12 IN	1.0 IN	1.5 IN	RT45, SK5VP, SK7VP
186-810	12 IN	.375 IN	2 IN	RT45, SK5VP, SK7VP, 410SX, R230, R300
186-811	18 IN	.375 IN	2 IN	410SX

PULL BLADE



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-1021	12 IN	.50 IN	1.5 IN	420SX
185-1022	12 IN	.50 IN	2.0 IN	420SX
186-424	12 IN	.375 IN	1.5 IN	RT45, SK5VP, SK7VP, 410SX, R230, R300
186-336	12 IN	.375 IN	3.0 IN	RT45, SK5VP, SK7VP, 410SX, R230, R300
186-425	18 IN	.375 IN	1.5 IN	RT45, SK7VP, 410SX
186-811	18 IN	.375 IN	2.0 IN	RT45, SK7VP, 410SX
186-337	18 IN	.375 IN	3.0 IN	RT45, SK7VP, 410SX
186-196	24 IN	.75 IN	.75 IN	RT45, SK7VP, 410SX
186-435	12 IN	.375 IN	.143 IN	100SXH
185-425	24-30 IN		3.0 IN	RT55
185-426	18-24 IN		3.0 IN	RT55
185-427	24-30 IN			RT55
185-428	18-24 IN			RT55
185-356	22-30 IN	1.0 IN	3.0 IN	RT95H, RT115H, RT115Q, HT115
185-345	24 IN	1.0 IN	3.0 IN	RT95H, RT115H, RT115Q, HT115
185-357	28-36 IN	1.0 IN	3.0 IN	RT95H, RT115H, RT115Q, HT115
185-346	30 IN	1.0 IN	3.0 IN	RT95H, RT115H, RT115Q, HT115



PLOW BLADE

FLOAT BLADES



PART NUMBER	COVER DEPTH	FEED WIDTH	MODELS
186-192	12 IN	1.0 IN	RT45, SK7VP
186-194	18 IN	1.0 IN	RT45, SK7VP, 410SX
186-195	18 IN	1.25 IN	RT45, SK7VP, 410SX
186-197	24 IN	1.0 IN	RT45, SK7VP, 410SX
186-198	24 IN	1.25 IN	RT45, SK7VP

CHUTE ASSEMBLIES



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
186-480	12 IN	.375 IN	1.5 IN	RT45, SK7VP
186-485	12 IN	.75 IN	3.0 IN	RT45, SK5VP, SK7VP
186-536	18 IN	.375 IN	1.5 IN	RT45, SK7VP
186-541	18 IN	.75 IN	3.0 IN	RT45, SK7VP
186-551	18 IN	1.0 IN	10 IN	RT45, SK7VP
186-556	24 IN	.75 IN	7.5 IN	RT45, SK7VP
186-563	24 IN	1.0 IN	10 IN	RT45, SK7VP

DOUBLE DISK PLOW BLADE



PART NUMBER	COVER DEPTH	FEED WIDTH	RADIUS	MODELS
185-1073	6 IN	.50 IN	2.0 IN	RT45, SK5VP, SK7VP, 410SX, R230, R300



SOD CUTTER KITS




PART NUMBER	MODELS
190-1227	R230, R300
190-084	410SX
190-1075	420SX
190-1468 HEAVY DUTY	420SX

SKID SHOE CONVERSION KIT



PART NUMBER	MODELS
190-220	R230, R300, SK5VP
190-213	410SX
190-212	420SX

REEL CARRIER



PART NUMBER	MODELS
190-1225	R230, R300
100-026	100SXH
190-512	410SX



PULL GRIPS



PART NUMBER	SIZE
185-901	3.8 IN TO 1/2 IN
185-902	1/2 IN TO 3/4 IN
185-903	3/4 IN TO 1 1/4 IN
185-904	1 1/4 IN TO 2 IN
185-906	2 IN TO 2 3/4 IN
185-907	2 3/4 IN TO 3 1/2 IN
185-913	3 1/2 IN TO 4 1/4 IN
185-914	4 1/4 IN TO 4 3/4 IN
110-289	ANCHOR SHACKLE



Silt Fence Installer

Combined with vibratory plow technology, the Ditch Witch silt fence installer is the fastest and most efficient way to install silt fence.

DITCH WITCH Earth Saw

Ditch Witch offers earth saws for compact and heavy-duty trenchers with a wide range of trench depths and a choice of cutting wheels to match job requirements. Our saws are designed with a unique drive that minimizes the size of the wheel, resulting in a more powerful, compact package that slices through earth, asphalt, concrete, and rock. Our compact utility saw attachment can cut on centerline or offset to the right of the unit, as jobsite conditions require.





SAW SEGMENT KITS



PART NUMBER	TRENCH WIDTH	SAW TYPE	BIT QUANTITY	CUTTING PATTERN	COMPATIBLE MODELS
190-1310	2.5"	H342 18" CENTERLINE	36	CHEVRON	RT40, RT45
100-861	8"	H942 30" CENTERLINE	60	CHEVRON	RT95, RT115, HT115
100-054	4.5"	H1140 40" CENTERLINE	80	CHEVRON	RT95, RT115, RT115 QUAD, HT115
100-866	6"	H1140 40" CENTERLINE	80	CHEVRON	RT95, RT115, RT115 QUAD, HT115
100-862	8"	H1140 40" CENTERLINE	80	CHEVRON	RT95, RT115, RT115 QUAD, HT115

INSERT BITS



PART NUMBER	DESCRIPTION	COMPATIBLE MODELS
136-101	INSERT BIT	RT40, RT45
136-222	INSERT BIT	RT55, , RT95, RT115, RT115 QUAD, HT115
131-290	INSERT BIT	RT55, RT95, RT115, RT115 QUAD, HT115
136-102	HEAVY DUTY INSERT BIT	RT40, RT45
136-100	CAP BIT	RT40, RT45

WEAR BAR KITS



PART NUMBER	COMPATIBLE MODELS
100-085	RT95, RT115, RT115 QUAD, HT115



CONNECTOR SHAFTS



PART NUMBER	DESCRIPTION	STYLE
167-035	COUPLER	THREADED
351-266	PIN	THREADED SLIP LATCH TO THREADED
351-236	COUPLER	SLIP LATCH
351-267	COUPLER	SLIP LATCH THREADED TO SLIP LATCH

DRILL STEM



PART NUMBER	DESCRIPTION	STYLE
351-096	10' DRILL PIPE SECTION	THREADED
351-030	ALL THREAD FOR ABOVE	THREADED
351-255	5' STEM SECTION	SLIP LATCH
351-256	10' STEM SECTION	SLIP LATCH

DRILL STEM GUIDE ASSEMBLY



PART NUMBER
118-097



FISH TAIL BIT

PART NUMBER	STYLE
351-026	THREADED



COMPACTION BIT

PART NUMBER	CUT	STYLE
351-136	1.50"	SLIP LATCH
351-138	1.75"	SLIP LATCH
351-140	2.00"	SLIP LATCH
351-142	2.25"	SLIP LATCH



SAND BIT

PART NUMBER	CUT	STYLE
351-143	1.38"	SLIP LATCH





ROCK BIT



PART NUMBER	CUT	STYLE
351-310	1.5" TWO PRONG	SLIP LATCH
351-311	2.0" TWO PRONG	SLIP LATCH
351-312	3.0" TWO PRONG	SLIP LATCH
351-337	1.5" SPADE	SLIP LATCH
351-313		BIT BODY
351-314		BIT BODY
105-525		ROLL PIN FOR ROCK BIT

FROST AUGER



PART NUMBER	CUT	STYLE	
351-331	1.5"	SLIP LATCH	1.5 IN & 2 IN ROCK BITS
351-332	3.0"	SLIP LATCH	3 IN ROCK BITS

REAMERS



PART NUMBER	DIAMETER	STYLE
351-065	4.75"	THREADED
351-013	6.00"	THREADED
351-014	8.00"	THREADED
351-059	10.00"	THREADED
351-031	12.00"	THREADED
351-147	2.50"	SLIP LATCH
351-148	3.00"	SLIP LATCH
351-149	3.50"	SLIP LATCH
351-150	4.00"	SLIP LATCH



PULLING GRIPS



PART NUMBER	SIZE
185-901	3.8 IN TO ½ IN
185-902	½ IN TO ¾ IN
185-903	¾ IN TO 1¼ IN
185-904	1¼ IN TO 2 IN
185-906	2 IN TO 2¾ IN
185-907	2¾ IN TO 3½ IN
185-913	3½ IN TO 4¼ IN
185-914	4¼ IN TO 4¾ IN
110-289	ANCHOR SHACKLE

PIPE PULLING ADAPTERS



PART NUMBER	SIZE
354-046	1 IN NPT
354-047	1½ IN NPT
354-048	2 IN NPT
354-049	2½ IN NPT
354-050	3 IN NPT
354-051	4 IN NPT
354-052	6 IN NPT



150 CABLE AVOIDANCE SYSTEM



PRODUCT	DESCRIPTION	BATTERY	LIFE	WEIGHT
150R	RECEIVER WITH ONE ACTIVE FREQUENCY AND POWER	(2) "C"	40 HRS	2 LBS
150T	TRANSMITTER WITH ONE ACTIVE FREQUENCY	(6) "C"	40 HRS	3 LBS
150BW	SHORT RANGE, WATER/SEWER BEACON	(1) "N"	4 HRS	12 FT
150BC	SHORT RANGE, PLASTIC PIPE OR CONDUIT BEACON	(1) "N"	4 HRS	10 FT
150BWL	LONG RANGE, WATER/SEWER BEACON	(1) "AA"	4 HRS	30 FT
150BCL	LONG RANGE, PLASTIC PIPE OR CONDUIT BEACON	(1) "AA"	4 HRS	30 FT

150 SERIES ACCESSORIES



PRODUCT	DESCRIPTION
220-131	GROUND PIN
220-192	DIRECT CONNECT LEADS
220-292	5 INCH ROUND INDUCTIVE CLAMP
220-339	3 INCH ROUND INDUCTIVE CLAMP
220-455	7 INCH ROUND INDUCTIVE CLAMP
220-566	LIVE POWER ADAPTOR
220-674	LIVE POWER CABLE ADAPTOR
220-1108	150B FLEX-ROD ADAPTER KIT
222-1132	CARRY BAG

250 SERIES PIPE & CABLE LOCATING SYSTEM



PRODUCT	DESCRIPTION	BATTERY	LIFE	WEIGHT
250R	RECEIVER WITH ONE ACTIVE FREQUENCY AND POWER	(6) "C"	40 HRS	5 LBS
250T	TRANSMITTER WITH ONE ACTIVE FREQUENCY	(6) "D"	150 HRS	5 LBS



250 SERIES ACCESSORIES



PART NUMBER	DESCRIPTION
220-046	CARRY BAG W/POCKETS
220-131	GROUNDING PIN, 250
220-373	TELEPHONE LEAD ADAPTER (ALLIGATOR CLIP)
220-483	3 INCH ROUND INDUCTIVE CLAMP
220-485	5 INCH ROUND INDUCTIVE CLAMP
220-487	7 INCH ROUND INDUCTIVE CLAMP
220-496	CLAMP 10' EXTENSION
220-497	TELEPHONE DIRECT CONNECT
220-566	LIVE POWER ADAPTOR (LPA)
220-671	CARRY BAG
222-132	REPLACEMENT DIRECT CONNECT LEADS
222-169	HARD CASE

900 SERIES ACCESSORIES



PRODUCT	DESCRIPTION	BATTERY	LIFE	WEIGHT
11B	SHORT RANGE, PLASTIC PIPE OR CONDUIT BEACON	(1) "AAA"	14 HRS	15 FT
910B	SHORT RANGE, WATER/SEWER BEACON	(2) "AA"	16 HRS	10 FT
PART NUMBER	DESCRIPTION			
220-442	STRAIGHT LEADS			
220-1077	FAULT LEADS			
220-336	LONG GROUNDING PIN			
220-1132	REMOTE PROBE CABLE			
222-2791	FOAM HANDLE			
220-046	CARRY BAG W/POCKETS			
220-131	GROUNDING PIN			
220-373	TELEPHONE LEAD ADAPTER (ALLIGATOR CLIP)			
220-483	3 INCH ROUND INDUCTIVE CLAMP			
220-485	5 INCH ROUND INDUCTIVE CLAMP			
220-487	7 INCH ROUND INDUCTIVE CLAMP			
220-496	CLAMP 10' EXTENSION			
220-497	TELEPHONE DIRECT CONNECT			
220-566	LIVE POWER ADAPTOR (LPA)			
220-671	CARRY BAG			
222-132	REPLACEMENT DIRECT CONNECT LEADS			
222-296	HARD CASE			



830R/T SYSTEM



PRODUCT	DESCRIPTION	BATTERY	LIFE	WEIGHT
830R	RECEIVER	(2) "D"	75 HR	5.1 LB
830T	TRANSMITTER	(6) "D"	150 HR	4.6 LB

830R/T ACCESSORIES



PART NUMBER	DESCRIPTION
220-131	GROUND PIN
220-339	3" CLAMP
220-292	5" CLAMP
220-455	7" CLAMP
220-046	CARRY BAG

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93