

Data Sheet FUJITSU Notebook LIFEBOOK U937

Your Light Yet Powerful Business Companion

Fujitsu recommends Windows.

With its extraordinarily light design, starting weight of 1.76 lbs. (799g) and beyond all-day battery runtime, the FUJITSU Notebook LIFEBOOK® U937 is an ultra-mobile notebook for business professionals who are always on the move. The solid magnesium housing ensures durability while security features such as the integrated palm vein sensor keep your business data protected. The powerful performance provides you with a best-in-class user experience.

Outstanding ultra-slim and robust design

Extraordinarily lightweight design for business professionals who are always on the move.

- A remarkably slim 15.5mm notebook starting at only 1.76 lbs. (799g) with a robust magnesium housing
- An excellent viewing experience is guaranteed with the clear anti-glare 13.3inch FHD display with wide viewing angles or the bright FHD touchscreen option

Ultimate security features

Protect your notebook and business data from unauthorized access at all times

 Embedded palm vein or fingerprint sensor, SmartCard reader, TPM 2.0

Excellent connectivity

Be flexible and stay productive in a hyperconnected world

- Full set of interfaces with a full-sized HDMI®, full-sized LAN connector and USB Type-C®
- Embedded WLAN, Bluetooth® and DDR4 memory technology up to 20 GB

Convenient mobility on the go

Highest productivity on business trips

- Beyond an all-day battery runtime offers you exceptional mobility that you need when on the move
- Anytime USB Charge functionality to charge telephones and other media devices even when the system is turned off
- Powerful performance, thanks to integrated SSDs, helps access data faster







Components

Fujitsu recommends Windows.

Operating system	Windows® 10 Pro 64-bit
1 9-1	Windows 10 Home 64-bit
Processor	7th Generation Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3MB) / non-vPro™ *
	7th Generation Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3MB) / vPro™ and non-vPro™
	7th Generation Intel® Core™ i7-7500U processor (2.7 GHz, up to 3.5 GHz, 4MB) / non-vPro™ *
	*Processor only for retail, SMB, education and government
Memory	4 GB onboard, fixed
	4 GB DDR4, 2,133 MHz, SO-DIMM Module
	8 GB DDR4, 2,133 MHz, SO-DIMM Module
	16 GB DDR4, 2,133 MHz, SO-DIMM Module
Hard disk drives	128 GB M.2 SATA SSD
	256 GB M.2 SATA SSD
	256 GB M.2 SATA SED/OPAL SSD
	512 GB M.2 SATA SED/OPAL SSD
	256 GB M.2 PCIe NVMe SED/OPAL SSD
	512 GB M.2 PCIe NVMe SED/OPAL SSD
Battery	Lithium-ion battery 2-cell, 25 Wh
	Lithium-ion battery 4-cell, 50 Wh
LCD Display	13.3-inch (33.8 cm) FHD Bright Touchscreen 1,920 x 1080 pixel
	13.3-inch (33.8 cm) FHD Anti-Glare non-Touch 1,920 x 1080 pixel
WLAN	Intel® Dual Band Wireless-AC 8265
Bluetooth	v4.1
Hard disk drives (internal)	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on software used.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal storage interface: S-ATA III or PCIe.
Multimedia	
Camera	Optional: Built-in webcam, HD
Exterior Color	Matte Black or Satin Red

Base Unit

General system information	
Chipset	Integrated
Memory slots	1 DIMM (DDR4)
Supported capacity RAM (max.)	20 GB
Memory notes	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219LM
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek™ ALC255
Audio features	Stereo speakers

Page 2 of 5 www.fujitsu.com/us

Base Unit

Fujitsu recommends Windows.

Base unit	LIFEBOOK U937
Graphics	
TFT resolution (HDMI)	up to 4,096 × 2,160
Graphics brand name	Intel® HD Graphics 620
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones
USB 3.0 (= USB 3.1 Gen 1) total	2x Type-A (1 with Anytime USB charge functionality)
	1x Type-C (with Power Delivery functionality)
HDMI	1
Ethernet (RJ-45)	1 pull-out (10/100/1000)
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)
SmartCard slot	1
Keyboard and pointing devices	Full-size, spill-resistant, isolation keyboard
, , ,	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.2 mm
	Multi gesture touchpad with two mouse buttons
	Status LED
	Power Button
Wireless technologies	
Antennas	2 Dual band WLAN antennas
Bluetooth	v4.1
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
Power supply	, , , , , , , , , , , , , , , , , , , ,
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
Battery	Lithium-ion battery 2-cell, 25 Wh or Lithium-ion battery 4-cell, 50 Wh. Battery is not user-replaceable
Battery Runtime	up to 15 hours, 30 minutes with Non-Touch Display, 4-cell battery
,	up to 11 hours, 40 minutes with Touchscreen Display, 4-cell battery
	up to 7 hours, 20 minutes with Non-Touch Display, 2-cell battery
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014
buttery notes	(office productivity).
	Refer to www.bapco.com for additional details.
	The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may
	vary depending on product model, configuration, application and power management settings. The
	battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmenta	
Dimensions (W x D x H)	309.3 x 213.5 x 15.5 - 17.1 mm
Difficusions (W X D X 11)	12.18 x 8.40 x 0.61-0.67 inches
Weight (g)	799g 2-cell battery with non-touch
	920g 4-cell battery with non-touch
	950g 4-cell battery with four-touch
Woight (lbs)	1.76 lbs. 2-cell battery with non-touch
Weight (lbs)	2.03 lbs. 4-cell battery with non-touch
	2.09 lbs. 4-cell battery with touchscreen

Page 3 of 5 www.fujitsu.com/us

Base Unit

Fujitsu recommends Windows.

Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	41 - 95° F (5 - 35° C)
Operating relative humidity	20 - 85 %
Compliance with standards	
North America	FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210;
	UL-cUL Listed; RF Human exposure Standard; ENERGY STAR Qualified; EPEAT Gold (depending on your
	configuration). Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product.
Global	RohS (Restriction of hazardous susbstances); WEEE (Waste electrical and electronic equipment); Microsof
	Operating System (HCL / entry / WHQL); ENERGY STAR 6.1; EPEAT Gold (dedicated regions)
Additional Software	
Additional software (preinstalled)	McAfee® Multi Access Security (anti-virus and internet security software; 60 days trial version)
	Waves MaxxAudio (audio enhancer)
	Power DVD
	Fujitsu Battery Utility
	Fujitsu Function Manager LIFEBOOK Application Panel
Additional software (optional)	Microsoft Office® (buy license to activate the pre-installed Microsoft Office)
Additional Software (optional)	Fujitsu Workplace Protect
	Recovery DVD for Windows®
Manageability	Recovery by biol williams
Manageability technology	PXE 2.1 Boot code
9 , 9,	Wake up from S5 (off mode)
	WoL (Wake on LAN)
Supported standards	WMI (Windows Management Instrumentation)
	PXE (Preboot Execution Environment)
	DMI (Desktop Management Interface)
	SMBIOS (System Management BIOS)
	CIM (Common Information Model)
Security	
System and BIOS Security	Absolute Persistence® technology capable BIOS
	Optional: Trusted Platform Module (TPM 2.0)
User Security	Integrated palm vein sensor (optional)
	Embedded fingerprint sensor (optional)
	Access protection via internal SmartCard reader (optional)
	Hard disk password
	User and supervisor BIOS password Workplace Protect (secure authentication solution)
Warranty	workplace Protect (Secure authentication Solution)
Standard Warranty	One Year Fujitsu International Limited Warranty, 24/7 technical support; Fujitsu extended service
	plans available
Warranty Terms and Conditions	http://www.fujitsu.com/us/support/
Recommended Accessories	USB Type-C Dock
	AC Adapter
	HDMI to VGA Adapter
	Notebook Mouse
	Heritage Thin Business Case 14"

Page 4 of 5 www.fujitsu.com/us

About Fujitsu Americas

Fujitsu recommends Windows.

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and http://twitter.com/fujitsuamerica

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U937, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, knowhow and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

To learn more about FUJITSU Notebook LIFEBOOK U937, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/us

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global knowhow, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



Copyright

Fujitsu, the Fujitsu logo, and, LIFEBOOK, are trademarks or registered trademarks of Fujitsu Limited in the United States and other countries. USB Type C is a trademark or registered trademark of the USB Implementers Forum in the United States and other countries. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. Intel, Core and vPro are trademarks or registered trademarks of Intel Corporation in the United States and other countries. Realtek is a trademark or registered trademark of Realtek Semiconductor Corporation in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. ENERGY STAR is a trademark or registered trademark of the U.S. Environmental Protection Agency in the United States and other countries. EPEAT and the EPEAT logo are trademarks or registered trademarks of Green Electronics Council in the United States and other countries. McAfee is a trademark or registered trademark of Network Associates/McAfee.com Inc. in the United States and other countries. Absolute Persistence is a trademark or registered trademark of Absolute Software Corporation in the United States and other countries. All other trademarks referenced herein are the property of their respective owners.

Copyright© 2017 Fujitsu America, Inc. All rights reserved. FPC65-7748-02 06/17. 17.0626.0823

Contact

FUJITSU AMERICA, INC.

Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.

Telephone: 800 831 3183 or 408 746 6000

Website: www.fujitsu.com/us

Contact Form: esupport.shopfujitsu.com/support/preSalesWebForm.jsp

Have a question? Email us at: AskFujitsu@us.fujitsu.com

Page 5 of 5 www.fujitsu.com/us