

# GENIE® ACCESSORIES

CUSTOMIZE YOUR EQUIPMENT  
FOR THE JOB



*\*Lift Tools™ Expo Installer*



**Genie®**  
A TEREX BRAND

TAKING YOU **HIGHER™**

LEARN MORE AT [GENIELIFT.COM](http://GENIELIFT.COM)

# Table of Contents

## Genie® Accessories

|                                 |    |
|---------------------------------|----|
| Table of Contents               | 1  |
| Genie Accessories Introduction  | 2  |
| Genie Boom Lift Accessories     |    |
| Tech Pro™ Link                  | 3  |
| Auxiliary Rail                  | 3  |
| Platform Control Box Cover      | 4  |
| Light Package                   | 4  |
| Panel Cradle                    | 5  |
| Pipe Cradle                     | 5  |
| Lift Guard™ Contact Alarm       | 6  |
| Lift Guard Fall Arrest Bar      | 6  |
| Operator Protective Structure   | 6  |
| Lift Guard Platform Mesh-Full   | 7  |
| Lift Guard Platform Mesh-Half   | 7  |
| Lift Guard Platform Mesh-Screen | 7  |
| Tool Tray                       | 8  |
| Aircraft Protection Package     | 8  |
| Lift Tools™ Expo Installer      | 9  |
| Lift Tools Access Deck-Booms    | 9  |
| Genie Scissor Lift Accessories  |    |
| Lift Tools Material Carrier     | 10 |
| Lift Guard Contact Alarm        | 10 |
| Pipe Cradle                     | 11 |
| Panel Carrier                   | 11 |
| Genie Telehandler Accessories   |    |
| Fire Extinguisher               | 12 |
| Flashing Beacon                 | 12 |
| Rear Proximity Alarm            | 12 |
| Oil Pan Heater                  | 13 |
| Engine Block Heater             | 13 |
| Hydraulic Quick Attach Coupler  | 13 |
| Road Lights                     | 14 |
| Work Lights                     | 14 |

## Genie Aerial Work Platform Accessories

|   |    |
|---|----|
| Fluorescent Tube Caddy                              | 15 |
| Dual Bike Hooks                                     | 15 |
| Work Station Tray                                   | 15 |
| Outreach Package                                    | 16 |
| Super Straddle                                      | 16 |
| Operational Warning Light and Descent Alarm Package | 16 |
| Genie Material Lift Accessories                     |    |
| Platform Cradle Package                             | 17 |
| 20 lb (9 kg) CO <sub>2</sub> tank                   | 17 |
| Aluminum Ladder                                     | 17 |
| Captive Stabilizer                                  | 17 |
| Flat Forks  | 17 |
| Boom Option (GL™)                                   | 18 |
| Standard Forks                                      | 18 |
| Adjustable Forks                                    | 18 |
| Boom Option   | 18 |
| Load Platform                                       | 18 |
| Fork Extensions                                     | 18 |

## Contact Our Parts Department

Phone: (877) 367-5606  
 Fax: (888) 274-6192  
 Email: [AWP.PartsSalesPO@terex.com](mailto:AWP.PartsSalesPO@terex.com)

# Increase Your Productivity

A variety of accessories are available to help maximize safe productivity while operating Genie® equipment. It pays to understand what's available so you can set yourself apart. In fact, you count on a selection of practical, adaptable accessories because they are critical – sometimes required – on certain jobsites. Consider what Genie has to offer.



*\*Lift Tools™ Material Carrier*



# Genie® Boom Lift Accessories

Our commitment doesn't end when you purchase a boom. We offer accessories that add to the quality you receive when you choose Genie.



## Tech Pro™ Link

Allows users to monitor a machine's gauges, including engine temperature, oil pressure, fuel levels and battery voltage, calibrate the machine, make speed adjustments during pre-operation inspection, get service alerts and reminders, track maintenance intervals, receive fault code information and so much more – all from the palm of your technician's hand.

Available on:

**Compatible for use with the CAN-enabled control systems on mid-sized Genie S® telescopic Xtra Capacity™ (XC™) booms**

Part number:

- 1276686GT



## Auxiliary Rail

The auxiliary top rail platform accessory is an additional railing system that can be quickly and easily mounted on the outside of a Genie boom's standard platform rails.

Available on:

**Genie® Articulating Boom Lifts:**

Z®-30/20N, Z-34/22 DC&IC, Z-40/23N, Z-45/25 DC&RT, Z-45 XC™, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70

**Genie Telescopic Boom Lifts:**

S®-40/45 XC, S-60/65 XC, S-80/85 XC, SX™-105 XC, SX-125 XC, SX-135 XC

Part numbers:

- 121266GT - 6 ft (1.8 m) platform w/ swing gate
- 121267GT - 8 ft (2.4 m) platform w/ swing gate

 = Factory Installed

 = Aftermarket



### Platform Control Box Cover

This accessory helps prevent loose debris from getting into the control box.

Available on:

**Genie Articulating Booms:** Z<sup>®</sup>-30/20, Z-34/22, Z-40/23, Z-45/25, Z-45 XC™, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70

**Genie Telescopic Boom Lifts:** S<sup>®</sup>-40/45 XC, S-60 XC, S-65 XC, S-80 XC, S-85 XC, SX™-135 XC

Part number:

- 102854GT

*\*Standard feature on the SX-105 XC and SX-125 XC.*



### Light Package

For low light work areas or working at night, this accessory consists of two chassis-mounted drive lights and two platform mounted work lights to illuminate the work area.

Available on:

**Genie Articulating Boom Lifts:** Z-30/20N, Z-33/18, Z-34/22 DC&IC, Z-40/23N, Z-45/25 DC&RT, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX-135/70

**Genie Telescopic Boom Lifts:**

S-40/45 XC, S-60/65 XC, S-80/85 XC, SX-105 XC\*, SX-125 XC\*, SX-135 XC, SX-150, SX-180

Part number:

- 1274228GT

*\*Standard feature on the SX-105 XC and SX-125 XC.*

 = Factory Installed

 = Aftermarket



### Panel Cradle

For use lifting drywall, glass panes, plywood and other material that comes in panels up to 250 lb (113.4 kg). The panel cradle allows operators to place materials outside of the platform for access at height. Includes the two cradles with hardware, two foam cushions and a load retaining strap. The combined weight of attachment, panels, occupants and tools must not exceed the platform rated capacity.

Available on:

**Genie® Articulating Boom Lifts:** Z®-45 XC™, Z-45/25 DC, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70

**Genie Telescopic Boom Lifts:** S®-40/45 XC, S-60/65 XC, S-80/85 XC, SX™-105 XC, SX-125 XC, SX-135 XC

Part number:

- **77683GT** - available on all S® and Z® boom lifts except for the Z-40, Z-34/22, and Z-20/8.



### Pipe Cradle

Designed, tested and approved by Genie, pipe cradles reduce the risk of fatigue by providing a secure way to lift pipes when working from an S- or Z- boom lift. Genie pipe cradles deliver stability and rigidity with a robust design which transfers the load away from the guard rails and onto the platform deck. The pipe cradle assembly mounts easily to the platform guardrails with U-bolts and rests on the floor of the platform when installed.

Available on:

**Genie Articulating Boom Lifts:** Z-45 XC, Z-45/25 DC (6 ft wide platform only), Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX-135/70

**Genie Telescopic Booms:** S-40/45 XC, S-60/65 XC, S-80/85 XC, SX-105 XC, SX-125 XC, SX-135 XC, SX-150, SX-180

Part number:

- **56572GT** - available on all S and Z boom lifts

= Factory Installed

= Aftermarket

# LIFT GUARD™

As Genie® protective solutions continue to evolve, Genie Lift Guard™ products are a generation of accessories that can, in some circumstances, provide additional operator protection while working at height. Genie Lift Guard secondary guarding accessories are simple to use, and when used in conjunction with operator training required by industry standards worldwide, can enhance safe work practices on aerial jobsites.



## Contact Alarm

Engineered as an electronic secondary guarding system, the Genie® Lift Guard™ Contact Alarm System is designed to stop boom functions and alert ground personnel when an operator makes contact with the activation cable. This new feature is configured as a standard accessory on new Genie Z® (articulated) and S® (telescopic) boom lifts, and it is retrofit able on booms dating back to 2006.

Now standard on:

All S® and Z® booms

Part numbers:

- **1279134GT** - 6 ft (1.8 m) - 8 ft (2.4 m) platform ALC1000
- **1279135GT** - 6 ft (1.8 m) - 8 ft (2.4 m) platform NON-ALC1000

*\*Most models are backwards compatible. Please check your parts manual.*



## Fall Arrest Bar

For use on 6-ft (1.8 m) or 8-ft (2.4 m) platforms, the Genie Fall Arrest Bar has a sliding track, which is designed to allow the operator to be anchored with a fall arrest lanyard while providing them the ability to move freely on an adjacent structure while outside of the platform. Attaches quickly and easily for fast setup and removal. Track assembly de-rates the maximum platform capacity by 50 lb (22.68 kg).

Available on:

**6-ft (1.8 m) or 8-ft (2.4 m) platforms (cannot be used with Panel Cradle)**

Part numbers:

- **1256377GT** - 8 ft (2.4 m) Word decal
- **1256378GT** - 6 ft (1.8 m) Word decal
- **1261018GT** - 8 ft (2.4 m) French decal
- **1261019GT** - 6 ft (1.8 m) French decal



## Operator Protective Structure (OPS)

For use on 6-ft (1.8 m) or 8-ft (2.4 m) platforms, bolting directly to the platform, this secondary guarding device helps provide additional protection to the operator from overhead obstacles on a work site. The Genie OPS is made of high strength tubular steel and allows for excellent visibility and work range.

Available on:

**Genie Articulating Boom Lifts: Z-45 XC™ Z-45/25 DC, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70**

**Genie Telescopic Boom Lifts: S-40/45 XC, S-60/65 XC, S-80/85 XC, SX-105 XC, SX-125 XC, SX-135 XC, SX-150, SX™-180**

Part number:

- **219158GT**

 = Factory Installed

 = Aftermarket

# LIFT GUARD™ | PLATFORM MESH

Three options to choose from — full-height aluminum, half-height aluminum and a removable screen, these contemporary mesh accessories are engineered to help operators keep jobsite materials and tools from falling out of boom platforms working at height.



## Full Mesh Platform

Covers all four sides of the platform, from the floor to the top rail, without obstructing the lanyard attachment points on the rail.

### Part numbers:

- **1286622GT** - 6 ft (1.8 m) full mesh, side gate
- **1283049GT** - 8 ft (2.4 m) full mesh, side gate
- **1290895GT** - 6 ft (1.8 m) full mesh, front gate
- **1290896GT** - 8 ft (2.4 m) full mesh, front gate



## Half Mesh Platform

A full toe board and half mesh guard to help keep materials and tools from falling out. A swing gate allows operators to enter and exit the platform without having to duck under a sliding midrail. This can make a big difference especially with tools or materials in hand. Available on a 4-ft (1.2 m), 6-ft (1.8 m) or 8-ft (2.4 m) platform.

### Part numbers:

- **1290893GT** - 6 ft (1.8 m) half mesh with front gate
- **1290894GT** - 8 ft (2.4 m) half mesh with front gate



## Screen Mesh Platform

This accessory is designed to encapsulate the boom platform, fully covering the bottom, sides, door and control panel. This accessory is specifically designed so nothing dropped inside the platform can fall out.

Available only on 8-ft (2.4 m) platform

### Part number:

- **1286301GT**

 = Factory Installed

 = Aftermarket





### Tool Tray

Designed to help eliminate clutter and potential tripping hazards by providing operators and workers with a convenient place to store their tools, fasteners and small materials in the platform.

Part number:

- 9599-SGT



### Aircraft Protection Package

To protect an aircraft or other sensitive work surfaces from damage, this package allows the boom platform to get up close with its foam-padded auxiliary rails, located top and sides, plus padded proximity-sensing rail underneath. If this rail makes surface contact, all motion functions stop.

Available on the following booms with select platforms\*:

**Genie Articulating Boom Lifts:** Z-30/20N (non-RJ model), Z-34/22N & IC, Z-45/25 DC, BE & RT, Z-45 XC, Z-60/37 DC & FE, Z-62/40, Z-80/60

**Genie Telescopic Boom Lifts:**

S-40/45 XC, S-65 XC, S-85 XC, SX-105 XC, SX-125 XC, SX-135 XC

\* Platform size limitations based on model

= Factory Installed

= Aftermarket

# LIFT<sup>^</sup>TOOLS<sup>™</sup>

Genie® Lift Tools™ accessories are productivity tools designed to make operators more efficient when working at height. These accessories also promote best practices for safe use and increased performance while operating Genie booms.



## Expo Installer

An indoor-use only aftermarket accessory, available through Genie Genuine Parts, designed for 6-ft (1.8 m) and 8-ft (2.4 m) articulating and telescopic boom platforms. Allows for precise, easy placement of signs, banners and hanging decor. Designed to make operators more efficient when working at height.

Available on:

**Genie® Articulating Boom Lifts:** Z®-45/25J, Z-45/25J RT, Z-45/25 RT, Z-45 XC™, Z-51/30J RT, Z-60/37 DC & FE, Z-62/40

**Genie Telescopic Boom Lifts:** S®-40/45 XC, S-60/65 XC

Part numbers:

- 1285719GT - 6-ft (1.8 m) KIT ANSI/CSA, Word Decals
- 1290034GT - 6-ft (1.8 m) KIT CSA, French Decals
- 1288801GT - 8-ft (2.4 m) KIT ANSI/CSA, Word Decals
- 1290036GT - 8-ft (2.4 m) KIT CSA, French Decals



## Access Deck - Booms

Provides operators with an approved secondary surface to work from, elevating them 22 in (0.56 m) above the platform floor. Attached to the platform midrail, this additional access enables operators to get into restricted spaces to increase productivity.

Available on:

**Can be installed on the midrail on 8-ft (2.44 m) Genie boom platforms and has a 300 lb (136 kg) capacity**

Kit number:

- 1291798GT

 = Factory Installed

 = Aftermarket

# Genie® Scissor Lift Accessories

Customize your scissor lift for specific jobsite needs.



## Lift Tools™ Material Carrier

Ideal for use in applications that require lifting materials to height, such as tilt-up construction, post-frame building construction, fire suppression installation, HVAC installation, rooftop contracting and facility maintenance. This accessory is suitable for a multitude of material types, including lumber, pipe, HVAC materials, siding and plate material.

Available on:

**GS™-2669 DC, GS-2669 RT, GS-3369 DC, GS-3369 RT,  
GS-4069 DC, GS-4069 RT, GS-3390, GS-4390, GS-5390**

Kit number:

- **1288239GT**



## Lift Guard™ Contact Alarm

An electronic secondary guarding solution designed to activate when an obstruction makes contact with an activation whisker mounted to the lift's platform guardrails, alerting operators, occupants and ground personnel to a potential hazard. The Genie Lift Guard Contact Alarm option for slab scissors will include two activation whiskers — one mounted on the front of the platform and one mounted on the rear.

Part numbers:

- **1288736GT KIT - GS-1530**
- **1288737GT KIT - GS-1930**
- **1288738GT KIT - GS-2032**
- **1289293GT KIT - GS-2632**
- **1289294GT KIT - GS-3232**
- **1289420GT KIT - GS-2046**
- **1289421GT KIT - GS-2646**
- **1289422GT KIT - GS-3246**
- **1289295GT KIT - GS-4047**

= Factory Installed

= Aftermarket



### Pipe Cradle

Reduce the risk of fatigue by providing a secure way to lift pipes when working from a scissor lift. Genie pipe cradles deliver stability and rigidity with a robust design which transfers the load away from the guard rails and onto the platform deck.

Available on:

**GS™-2046 RT, GS-2646 RT**

Part number:

- **72906GT** - (GS-2046, GS-2646, GS-3246)



### Panel Carrier

The panel carrier allows operators to place materials outside of the platform for access at height. The combined weight of attachment, panels, occupants and tools must not exceed the platform rated capacity.

Available on:

**GS-2046 and GS-2646**

Part number:

- **1251827GT** - (parts differ from boom panel cradle)

= Factory Installed

= Aftermarket



# Genie® Telehandler Accessories

Get more and do more without having to buy additional machinery. Just add one, two or more of the available accessories for your Genie® telehandler to get more productivity from a single unit. Accessories add job flexibility and improve efficiency.



## Fire Extinguisher

An extra safety feature available for your Genie Telehandler

Available on:

GTH™-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544

Part numbers:

- 123563GT



## Flashing Beacon

Orange flashing lights warn workers when the scissor lift is in motion or operation

Available on:

GTH-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544

Part number:

- 58.1701.4047GT



## Rear Proximity Alarm

Uses sensors to identify any potential obstacles within close radius to the back of a machine and alerts the operator via visual and audio warnings.

Available on:

GTH-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544

Part numbers:

- 1257987GT - Sensor
- 1257988GT - Display
- 1275497GT - Kit

 = Factory Installed

 = Aftermarket



### Oil Pan Heater

For use in cold weather conditions, the Oil Pan Heater aids in machine start up by keeping the engine oil warmed while the machine is not in use.

Available on:

**GTH™-5519**

Part numbers:

- **123518GT** - Deutz/Perkins
- **128274GT** - Deutz, 120V, 150W




### Engine Block Heater

For use in cold weather conditions the Engine Block Heater aids in machine start up by heating the engine coolant while the machine is not in use.

Available on:

**GTH-636, GTH-844, GTH-1056, GTH-1256 and GTH-1544**



### Hydraulic Quick- Attach Coupler

With hydraulically activated retention pins, the Hydraulic Quick-Attach Coupler allows the operator to fully couple or de-couple an attachment from inside the cab without needing to manually remove or install the lower retention pin.

Available on:

**GTH-5519, GTH-1256 and GTH-1544**

 = Factory Installed

 = Aftermarket



## Road Lights

Road lights include turn indicators and headlights, one reverse light and two rear lights for stop, turn and tail light functions.

Available on:

**GTH™-5519, GTH-636, GTH-844, GTH-1056, GTH-1256  
and GTH-1544**

Part numbers:

- **1264489GT KIT** - GTH-636
- **215416GT KIT** - GTH-1056
- **215637GT KIT** - GTH-844

Aftermarket kit:

- **58.1701.4046GT**



## Work Lights

Increase productivity in low-light conditions with an optional work light, which functions as a headlight and a rear cab-mounted work light for visibility when maneuvering the machine into place.

Available on:

**GTH-5519, GTH-636, GTH-844, GTH-1056, GTH-1256  
and GTH-1544**

Part numbers:

- **108332GT**
- **121801GT**

Aftermarket kit:

- **58.1701.4044GT**



 = Factory Installed

 = Aftermarket

# Genie® Aerial Work Platform Accessories

Genie® aerial work platforms are easy to use and cost effective, making them the first choice for a wide range of applications. Each model offers a variety of accessories to customize your machine.



## Fluorescent Tube Caddy

A convenient way to store multiple fluorescent lights in one location

Available on:

**AWP™-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S, AWP-20S DC, AWP-25S DC, AWP-30S DC, IWP™-20S, IWP-25S, IWP-30S, GR™-12, GR-15, GR-20, GRC™-12**

Part number:

- **37626GT**

\* Not available with EE Certification

\*\* Not available on fiberglass platform



## Dual Bike Hooks

A convenient way to lift bicycles up to or down from high displays or warehouse shelving- no need for the operator to lift, maneuver or hold the bicycle in the platform.

Available on:

**QS™ Models**

Part numbers:

- **145310GT** - Symbol Decals
- **145309GT** - Word Decals

\*Not available with rear parcel tray



## Work Station Tray

Designed to help eliminate clutter and potential tripping hazards by providing operators and workers with a convenient place to store their tools, fasteners and small materials in the platform.

Available on:

**AWP-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S, AWP-20S DC, AWP-25S DC, AWP-30S DC, IWP-20S, IWP-25S, IWP-30S**

Part number:

- **69877GT**

\* Not available on fiberglass platform

\*\* Not available on narrow or ultra-narrow platforms

 = Factory Installed

 = Aftermarket





### Outreach Package

Provides over 2 ft (61 cm) of additional horizontal reach. Ideal for maneuvering up and over shelves, machinery and equipment

Available on **Genie® IWP™-20S only**  
Part number:  
• **124868GT**

*\* Not available for CSA*



### Super Straddle

Provides up to 4 ft (1.22 m) of vertical clearance over fixed obstacles.

Available on:  
**AWP™-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S**  
Part numbers:  
• **29444GT** - Decal Kit  
• **62938GT** - Genie Super Straddle

*\* Not available with air motor option*



### Operational Warning Light and Descent Alarm Package

The flashing light alerts operators when the machine is descending

Available on:  
**AWP-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S, AWP-20S DC, AWP-25S DC, AWP-30S DC, IWP-20S, IWP-25S, IWP-30S**

= Factory Installed  
 = Aftermarket

# Genie® Material Lift Accessories

These versatile lifts offer a large selection of accessories providing the opportunity to create just the lift you need.



## Platform Cradle Package

Available as an accessory to handle oddly-shaped items

Available on: **GH™ 3.8 and GH 5.6**  
Part number: **20200GT**



## 20 lb (9 kg) CO<sub>2</sub> tank

The one size fits all bottle mounting bracket accepts any common CO<sub>2</sub> bottle size. This extra 20 lb (9 kg) CO<sub>2</sub> tank is available as an accessory.

Available on: **GH 3.8 and GH 5.6**  
Part number: **2176GT**



## Aluminum Ladder

Attaching the sturdy aluminum ladder accessory makes your Genie lift a combination lift truck and stepladder for increased access to lifting and installation tasks

Available on:  
**Standard and Straddle based models of GL™-4, GL-8, GL-10, GL-12**  
Part number: **37172GT**



## Captive Stabilizer

With patented "locking system" provides additional lateral support for heavy loads.

Available on:  
**SLA™-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC™-12 (standard on SLC-18 and SLC-24)**  
Part number: **37481GT - SLA set**



## Flat Forks

Widen from 16 to 31 in (41 to 79 cm) to provide proper support, allow you to easily lift your load off of flat surfaces.

Available on:  
**SLA-5, SLA-10, SLA-15**  
Part number: **32566-SGT**



### Boom Option - GL™

Capable of lifting up to 500 lb (227 kg) at 14 in (36 cm) and up to 300 lb (136 kg) at 20 in (51 cm) of reach.

Available on:

GL-4, GL-8, GL-10, GL-12

Part number: 37086GT



### Standard Forks

Accommodate various loads for versatile lifting. Get an additional 21 in (53 cm) of lift by turning over and re-pinning the forks

Available on:

SLA™-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC™-12, SLC-18, SLC-24

Part number: 32906GT



### Adjustable Forks

Widen from 11.5 to 30 in (28 to 76 cm) to accommodate diverse loads.

Available on:

SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24

Part number: 107161GT



### Boom Option

Transforms your lift into a mobile, vertical crane or hoist to position tooling fixtures, circuit breakers, engines and more.

Available on:

SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24

Part number: 32567GT



### Load Platform


Fits over the forks to handle odd-sized or heavy objects- no tools required for installation. Can also be used as a portable work table.

Available on:

GL-4, GL-8, GL-10, GL-12, SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24, ST-20, ST-25

Part numbers:

- 37245GT - GL
- 32568GT - SLA
- 35220GT - SLC



### Fork Extensions

Insert onto standard forks for an additional 25 in (64 cm) of length

Available on:

SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24, ST-20, ST-25

Part number: 33366-SGT

## Worldwide Manufacturing And Distribution

Australia · Brazil · Caribbean · Central America · China · France · Germany · Italy · Japan · Korea · Mexico  
Southeast Asia · Spain · Sweden · United Arab Emirates · United Kingdom · United States

Toll Free in USA/Canada **+1 (800) 536-1800** · Telephone **+1 (425) 881-1800** · Fax +1 (425) 883-3475

6464 185th Ave. NE, Redmond, WA 98052

Effective Date: April, 2019. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and we make no other warranty, express or implied. Terex, Genie, Taking You Higher and other marks are trademarks of Terex Corporation or its subsidiaries. © 2019 Terex Aerial Work Platforms.



TAKING  
YOU **HIGHER**<sup>™</sup>

LEARN MORE AT [GENIELIFT.COM](http://GENIELIFT.COM)