

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
Equipment for Base Machine

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive (2) Adjustable Rear Mounting
48 In. (1,219 mm) Clearing Width "Angled"	Caster Wheels
Storage Stands	Brush Head Height Adjustment
21 In. (533 mm) Diameter	Three Spare Driveshaft Shear
Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M		52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,239.00
-------	--	---	----------

**FRONT QUICK-HITCH**

1000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
1012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Includes BLV10796 front attaching support kit.</i>	931.00
1005		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	672.00
1006		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
1013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.  Includes BLV10680 front attaching support kit.</i>	941.00
1010		Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING**

2000		Hydraulic Angling	194.00
------	--	-------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>HYDRAULIC ANGLING Continued...</b>			
<i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>			
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
2009		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	265.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	196.00
2010		Less Hydraulic Angling	In Base Price
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	289.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	273.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
<b>IMPLEMENT DRIVE SHAFT</b>			
4000		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	257.00
4006		Implement Drive Shaft <i>For model year 2017- 2025R.</i>	285.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**

Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>IMPLEMENT DRIVE SHAFT Continued...</b>			
<i>Includes BLV10900 implement drive shaft and BLV10794 mounting frame.</i>			
4002		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	270.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	257.00
4010		Less Implement Drive Shaft	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Front Power Take-Off (PTO)</b>		
BLV10786	2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>		510.39
BLV10681	2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>		416.23
BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>		313.51
LVB25966	2000-rpm Front Power Take-Off (PTO) (2210, 2305)		331.70
BM18695	2000-rpm Front Power Take-Off (PTO) (4100, 4110)		304.96
LVB24900	2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.		304.96
LVB25305	2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)		304.96
BM25304	2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>		394.83
BM25305	2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)		394.83
BM20921	<b>Front Quick-Hitch</b> Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>		770.40
LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>		841.01

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Implement Drive Shaft</b>	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
		<b>Miscellaneous</b>	
BM21777		Deflector kit (52-in. Rotary Broom)	63.13
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**52 in. Quick-Hitch Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM21853	Thatching-wheel kit (52-in. Rotary Broom)	274.99
		<b>Miscellaneous</b>	
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Mounting Frame</b>	
	BLV10794	52-in. Quick-Hitch Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	32.10
		<b>Spanish North American Kit</b>	
	BLV11054	52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
	BM26530	52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
	BLV11056	60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Equipment for Base Machine

57 In. (1,448 mm) Clearing Width "Straight"	Chain and Sprocket Final Drive (2) Adjustable Rear Mounted Caster Wheels
50 In. (1,270 mm) Clearing Width "Angled"	Broom Head Float
Storage Stands	Four Spare Driveshaft Shear
26 In. (660 mm) Diameter	Bolts Two Sizes, "Mounted to Shell"
Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M		60 In. Heavy-Duty Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2036R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010, 4100, 4110, 4115, and 4400-4410 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. See Sales Manual for ballast requirements. Not compatible with BM17347, 400-Series Quick-Hitch. Compact tractors require dual selective control valve and mid PTO. Small chassis compact tractors also require front attaching support kit. See Sales Manual for front attaching support requirements. 3120-3720 Tractors with mid-mount mowers for use with front three-point hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,429.00
-------	--	---	----------

**MOUNTING FRAME**

1000		Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700s, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115, model year 2013-2016 2025R, and model year 2013-2016 2032R.</i>	402.00
1004		Mounting Frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	402.00
1001		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	831.00
1003		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For model year 2017- 2032R, 2036R and 2038R.</i>	875.00
1010		Less Mounting Frame	In Base Price

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	632.00
2002		Front Quick-Hitch and Hydraulic Lift	774.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT QUICK-HITCH Continued...</b>			
<i>For 4210-4410.</i>			
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>  <i>Also requires LVB25396 front attaching support.</i>	672.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010,4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i>  <i>Includes BLV10680 front attaching support kit.</i>	941.00
2011		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>  <i>Includes BLV10796 front attaching support kit.</i>	931.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,447.00
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For model year 2017- 2032R, 2036R and 2038R.</i>	1,447.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
<hr/>			
<b>HYDRAULIC ANGLING</b>			
<i>Hydraulic Angling for 3120-3720, model year 2017- 2032R, 2036R, 2038R, 4200-4400, and 4210-4410 Tractors are included in option codes 1001, 1002, and 1003.</i>			
3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	194.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	196.00
3003		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
3005		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	265.00
3010		Less Hydraulic Angling	In Base Price
<hr/>			
<b>FRONT POWER TAKE-OFF (PTO)</b>			
4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	266.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	266.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom  
Continued**

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	265.00
4005		2000 RPM Front PTO Kit <i>For 2210 and 2305.</i>	289.00
4006		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
4017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
4007		2000 RPM Front PTO Kit <i>For model year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	273.00
4016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	344.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
4012		2000 RPM Front PTO Kit <i>For model year 2017- 2032R, 2036R and 2038R.</i>	274.00
<b>IMPLEMENT DRIVE SHAFT</b>			
<i>Drive Shaft for Model Year 2017- 2032R, 2036R, 2038R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.</i>			
5001		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	270.00
5003		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	257.00
5005		Implement Drive Shaft <i>For model year 2017- 2025R Tractors.</i>	257.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	257.00
5010		Less Implement Drive Shaft	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Power Take-Off (PTO)</b>	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes RIO override for front implements.</i>	323.40
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	303.89
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	95.70
		<b>Front Quick-Hitch</b>	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	215.60
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	95.70
LVB25878		Front 3-Point Hitch (3120-3720)	1,344.99
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	770.40

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,393.70
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,393.70
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		<b>Hydraulic Angling</b>	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		<b>Implement Drive Shaft</b>	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
LVB24956		Implement Drive Shaft for Rotary Brooms (3120-3720, 3033R-3046R)	178.69
BLV10800		Implement Drive Shaft for Rotary Brooms (model year 2017- 2032R, 2036R, and 2038R)	230.06
		<b>Miscellaneous</b>	
BM19805		Debris deflector (60-in. Heavy-Duty Rotary Broom)	428.00
LVB24810		Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	243.96

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	179.30
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
BM20706		Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	370.21
AM128682		Wafers, Polypropylene Bristle (Pack of 16)	303.49
AM128683		Wafers, Steel Bristle (Pack of 16)	487.97
		<b>Miscellaneous</b>	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
		<b>Mounting Frame</b>	
BM20626		60-in. Rotary Broom mounting frame <i>For use on X400/X500 HDGT's, X700s, 2210, 2305, model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	461.17
BLV10795		60-in. Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	461.17
BLV10776		Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R, model year 2017-2032R, 2036R, and 2038R)	773.61
		<b>Spanish North American Kit</b>	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
BM26530		52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79