An aerial photograph of a tropical island. In the foreground, a white catamaran is sailing on clear, turquoise water. The water transitions from light blue to deeper blue as it approaches a large, rugged mountain with a prominent, sharp peak. The mountain is covered in green vegetation. The sky is blue with scattered white clouds. The text 'CRUISING WORLD' is overlaid in large, white, serif font, and 'MEDIA GUIDE' is overlaid in smaller, white, sans-serif font below it.

CRUISING WORLD

MEDIA GUIDE



PASSION.
ADVENTURE.
LIFE.

Cruising World is your passport to the sailing life. Our mission is to inform and entertain experienced, committed sailors and boat owners who own cruising sailboats that measure 30 to 70 feet in length. Whether their plans center around a Caribbean sabbatical, a coastal excursion, or an open-ended voyage around the world, we will nurture their dreams with practical how-to information and compelling features presenting real-life cruising stories and fascinating destinations.


BRAND OVERVIEW

60,000
Circulation

9X
Frequency

1974
Year Established

**ALL ISSUES ARE AVAILABLE ON TABLETS AND EREADERS, INCLUDING THE IPAD, NOOK AND KINDLE.*



 @cruisingworld

 Cruising World Magazine

 @cruisingworldmag

292,000
Avg. Monthly
Page Views

148,000
Avg. Monthly
Unique Visitors

154,000+
Social Media
Audience

37,000
Custom Email
Subscribers

50,000
Editorial eNews
Subscribers






Cruising World's audience is comprised of sailors who are actively researching boats, the latest gear and how-to information. Using research and database management, we can identify, surface and activate high-value participants across all of our media channels in order to drive tangible results.



Audience Profile

Cruising World's audience across all channels (print, web, social & email) represents active, affluent cruising enthusiasts who come to us looking for the latest tips, boat reviews and information on gear & equipment. They know we deliver the expert information needed to pursue their passions and map out their next journey.

Demographic



Sailing Activities



SAILING ACTIVITIES IN PAST 12 MONTHS



SAILING NUMBERS



JANUARY/FEBRUARY 2021

Boat of the Year 2021

On Sale Date: 12/22/20

MARCH 2021

Winter Projects

On Sale Date: 2/23/21

APRIL 2021

Spring Fitting Out

On Sale Date: 3/23/21

MAY 2021

Summer Sailing/Sailboat
Systems and Sails

On Sale Date: 4/20/21

JUNE/JULY 2021

Multihulls

On Sale Date: 5/25/21

ANNUAL CHARTER ISSUE

Annual Guide to Sailing
Vacations

On Sale Date: 7/20/21

SEPTEMBER 2021

Sailing South

On Sale Date: 8/17/21

OCTOBER 2021

New Sailboat Showcase

On Sale Date: 9/21/21

NOVEMBER/DECEMBER 2021

Safety at Sea/Sail Green

On Sale Date: 11/23/21

JANUARY/FEBRUARY 2022

Boat of the Year 2022

On Sale Date: 12/21/21

PRINT SPECIFICATIONS

Trim Size: 8.375" x 10.875"

Binding: Perfect Bound, Jog to Foot

Supplied materials that do not comply with the following specifications will be corrected and the advertiser billed for the required production. All ads supplied must be CMYK. For ads requiring a spot color, please contact your production manager for specifications.

AD SIZES: Follow ad size specifications and guidelines provided in this document. Ads that do not meet exact size specifications listed on the rate card will incur charges for resizing.

REQUIRED FORMAT: PDF/X-1a format files required for submission. Files should conform to SWOP guidelines, and total ink density should not exceed 300%. View specifications online at www.swop.org.

PROOFS: Bonnier Corporation utilizes Virtual Proofing technology. Hard copy guidance is no longer required. If you opt to send a proof for internal color approval, please send a Web Coated SWOP 2006 certified proof.

INSERTS: Consult your advertising representative. Production, design and prepress services are available; rates upon request.

If we do not receive instructions regarding your materials, the most recent ad of the same size scheduled will be picked up. Ad materials received after the deadline may incur late fees, unless an ad extension is arranged with ad services prior to the deadline.

PRODUCTION GUIDELINES

For all bleed ads: Build file to trim size and add .125 in. bleed on all 4 sides. Ensure that crop marks are offset .125 in. from bleed.

Allow .25 in. safety area within trim on all 4 sides (no live matter)

Spread ads: Supply in a single document

MATERIALS REQUIREMENTS FOR IN-HOUSE DESIGN SERVICES

PHOTOS: Supplied images should be high res (300 dpi) in CMYK. B/W images must be high res (300 dpi) grayscale. **Images supplied in RGB will be converted to CMYK.**


LOGOS: Vector .eps or .ai files are preferred. Type must be converted to outlines unless the fonts are provided. Jpgs should be 300 dpi.

Native files supplied for corrections/adjustments, must be accompanied by the fonts and links used in those files. **(Recommended:** use the packaging function in InDesign to gather fonts and links.) Black type on light background should be defined as 100% black only. Files should conform to SWOP guidelines, and total ink density should not exceed 300%.

AD SIZES	NON-BLEED	BLEED	TRIM
Full Page	7.825" x 10.375" (199mm x 264mm)	8.625" x 11.125" (219mm x 283mm)	8.375" x 10.875" (212mm x 276mm)
2-Page Spread	16.25" x 10.375" (413mm x 264mm)	17" x 11.125" (432mm x 283mm)	16.75" x 10.875" (425mm x 276mm)
2/3 Page Vert.	4.5" x 9.5" (114mm x 241mm)	5.25" x 11.125" (134mm x 283mm)	5" x 10.875" (127mm x 276mm)
1/2 Page Vert.	3.5" x 9.5" (89mm x 241mm)	4.25" x 11.125" (108mm x 283mm)	4" x 10.875" (101mm x 276mm)
1/2 Page Island	4.575" x 7" (116mm x 177mm)	—	—
1/2 Page Horiz.	7.25" x 4.75" (184mm x 120mm)	8.625" x 5.45" (219mm x 139mm)	8.375" x 5.2" (212mm x 132mm)
1/3 Page Vert.	2.25" x 9.5" (57mm x 241mm)	2.95" x 11.125" (75mm x 283mm)	2.7" x 10.875" (68mm x 276mm)
1/4 Page Sq.	3.5" x 4.75" (89mm x 120mm)		
BROKERAGE/CHARTER/GEAR GUIDE ONLY			
1/2 Page Horiz.	7.25" x 4.75" (184mm x 120mm)		
1/2 Page Vert.	3.5" x 9.5" (89mm x 241mm)		
1/4 Page Sq.	3.5" x 4.75" (89mm x 120mm)		
1/8 Page Horiz.	3.5" x 2.35" (89mm x 58mm)		

LAYOUT/PRODUCTION NOTES:
Allow .25 in. safety area within TRIM on all 4 sides (no live matter)
Ensure that crop marks are offset .125 in. from bleed.

The Gear Guide is now offered in ALL issues.



GEAR GUIDE

2021 CLOSING DATES

Issue	Theme	Ad Close	Ad Materials Due	On Sale Print	On Sale Tablets
January/February 2021	Boat of the Year	11/2/20	11/3/20	12/22/20	12/21/20
March 2021	New Cruising Gear/Charter	1/4/21	1/5/21	2/23/21	2/22/21
April 2021	Fitting Out	2/1/21	2/2/21	3/23/21	3/22/21
May 2021	Boat Toys/Fun on the Water	3/1/21	3/2/21	4/20/21	4/19/21
June/July 2021	Multihulls	4/5/21	4/6/21	5/25/21	5/24/21
August/Charter 2021	Annual Guide to Sailing Vacations	5/26/21	6/2/21	7/20/21	7/19/21
September 2021	Sailing South/Fall Boat Show Preview	6/28/21	6/29/21	8/17/21	8/16/21
October 2021	New Boat Showcase	8/2/21	8/3/21	9/21/21	9/20/21
November/December 2021	Safety at Sea/Winter Projects	10/4/21	10/5/21	11/23/21	11/22/21
January/February 2022	Boat of the Year	11/1/21	11/2/21	12/21/21	12/20/21

AD MATERIAL SUBMISSIONS

Ad files should be submitted via our Ad Portal at adportal.bonniercorp.com.

For ads supplied electronically, advertiser must supply an additional content proofing jpg. **We do not accept ads via e-mail.** Electronic files are stored for one year only, unless otherwise requested in writing.

SEND ALL OTHER MATERIALS TO:
CRUISING WORLD MAGAZINE
Attn: Shari Smith
 480 N. Orlando Ave., Suite 236
 Winter Park, FL 32789
PRODUCTION CONTACT
 407-571-4794
Shari.Smith@bonniercorp.com

2021 DIGITAL AD SPECS

STANDARD GUIDELINES:

These guidelines are consistent with the Interactive Advertising Bureau specifications (www.iab.net)

- Google Ad Manager is used to serve all Bonnier Corp Advertisements
- There is a 24-hour turnaround time once all creatives are submitted to Online Advertising Operations
- All ad units must launch a new browser window when clicked
- All static ads types are accepted (.jpg, .gif, .swf, .html)
- Max initial load file size should not exceed 150k
- Below is a list of the most commonly used third party vendors.

For a complete list of approved vendors please contact Bonnier. Bonnier has the ability to serve third party tags that are not on the list of approved vendors but we will not be able to track click-throughs.

Approved Third Party Ad Tags	Approved Third Party Rich Media
Atlas	Eyeblander
Bluestreak Google Ad Manager Interpolls	EyeReturn
Mediaplex	Eyewonder
	Pointroll
	Unicast

THIRD PARTY SPECIFICATIONS

- Third Party tags should be served via JavaScript Ad calls, not iframes
- Audio needs be user initiated with a clearly recognizable on/off button
- All floating ad units should have a clearly recognizable close button
- Max initial load file size should not exceed 30k
- Additional polite download should not exceed 80k
- Frame rate per second should not exceed 18fps
- Animation length should not exceed 15 seconds

EXPANDING ADS

Most Common Sizes:	Expanded Dimension:
728 x 90	728 x 225
300 x 250	400 x 350; 300 x 600; 600 x 250

MOUSE OVER/MOUSE OFF

- Ad should expand upon mouse over or click on expand button
- Ad should retract upon mouse off or clicking a close button
- If the ad expands with user click, the panel still must retract when mouse is removed
- Any sound should be user initiated by click, not mouse

HTML5 AD UNITS:

- HTML5 should be provided as a Zip bundle with all assets included in the zip folder.
- HTML5 creatives must be SSL compatible to serve to HTTPS sites
- Use the size meta tag to indicate the intended size for your creative and ensure your creative renders at the right dimensions: `<meta name="ad.size" content="width=[x],height=[y]">`
- HTML5 creatives can only have fixed dimensions (e.g., 300x250, 728x90, 320x50, etc.). Dynamic sizes such as "Fluid" aren't supported.
- We do not recommend hard-coded click through URLs in the asset because it prevents Google Ad Manager from tracking clicks. Below is an example of how the click tag should appear.

HTML5 CLICK TAG EXAMPLE

A click tag should be inserted in the <head> of an HTML document. See this example:

```
<head>
<meta name="ad.size" content="width=300,height=250">
<script type="text/javascript">
  var clickTag = "http://www.google.com";
</script>
</head>
```


In the body of your HTML document, your creative must use the click tag variable as the click-through URL:

```
<a href="javascript:void(window.open(clickTag))">
  
</a>
```

MATERIAL CONTACT:

Danielle Bennett
danielle.bennett@bonniercorp.com
Phone: 407-571-4920

AD UNIT	DIMENSIONS	FILE SIZE	FILE TYPE
Leaderboard	728 x 90 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
Medium Rectangle	300 x 250 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
Pushdown Unit Condensed	970 x 90 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
Pushdown Unit Expanded	970 x 250 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
eNews Med Rectangle	300 x 250 Pixels	72 dpi, 150 kb max	gif, jpg
Custom eBlast	600 Pixels Wide	72 dpi, 150 kb max	html
Video Hosting	608 x 300 pixels	150 mb max	flv, avi, mov
Mobile Leaderboard	320 x 50 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
Billboard	970 x 250 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5
Half Page	300 x 600 Pixels	72 dpi, 150 kb max	gif, jpg, png, html5



For More Info, Contact:

Sally Helme, Publisher Emeritus
sally.helme@bonniercorp.com / 401.845.4405

Ted Ruegg, Associate Publisher
ted.ruegg@bonniercorp.com / 410.263.2484

Parker Stair, Associate Publisher
parker.stair@bonniercorp.com / 865.599.9791

Eleanor Merrill, Marketplace Sales Representative
eleanor.merrill@bonniercorp.com / 401.845.4407

David Gillespie, Caribbean
david.gillespie303@gmail.com / 303.638.7909



CONTACT

TED RUEGG, ASSOCIATE PUBLISHER
410-263-2484 | ted.ruegg@bonniercorp.com

PARKER STAIR, ASSOCIATE PUBLISHER
865-599-9791 | parker.stair@bonniercorp.com

SALLY HELME, PUBLISHER EMERITUS
401-845-4405 | sally.helme@bonniercorp.com

ELEANOR MERRILL, MARKETPLACE SALES
401-845-4407 | eleanor.merrill@bonniercorp.com

GLENN SANDRIDGE, GROUP PUBLISHER
401-571-4747 | glenn.sandridge@bonniercorp.com

KELLY SHELDON, SENIOR MARKETING MANAGER
407-571-4578 | kelly.sheldon@bonniercorp.com