



## Mustang Billet Aluminum Shift Knob P/N R08040007 Installation Instructions

Fits 2005-07 Mustang Production 5 Speed Shifter and Roush Short Throw Shifter (P/N R15040015) with M12 x 1.25 thread





Before installing this Roush Performance Product, read through the entire Installation procedure and check to make sure all the items are present.

**Packaging List for Shift Knob Kit #R08040007**

<i>Item</i>	<i>Part #</i>	<i>Qty</i>
Billet Shift Knob	R15040016	1
Shift Knob Locknut	R15040017	1
Installation Instructions	R08040008	1



**Shift Knob**

**Shift Knob Locknut**

**Equipment Required**

1-1/8" wrench or  
Adjustable wrench



## **LIMIT OF LIABILITY STATEMENT**

The information contained in this publication was accurate and in effect at the time the publication was approved for printing and is subject to change without notice or liability. Roush Performance Products (RPP) reserves the right to revise the information presented herein or to discontinue the production of parts described at any time.

## **STOP!** **READ IMPORTANT SAFETY PRECAUTIONS AND WARNINGS BEFORE PROCEEDING.**

### **IMPORTANT SAFETY NOTICE**

Appropriate disassembly, assembly methods and procedures are essential to ensure the personal safety of the individual performing the kit installation. Improper installation due to the failure to correctly follow these instructions could cause personal injury or death. Read each step of the installation instructions carefully before starting the actual installation.

- Always wear safety glasses for eye protection.
- Place the ignition switch in the OFF position.
- Always apply the parking brake when working on the vehicle.
- Block the front and rear tire surfaces to prevent unexpected vehicle movement.
- Operate the engine only in well-ventilated areas to avoid exposure to carbon monoxide.
- Do not smoke or use flammable items near or around the fuel system.
- Use chemicals and cleaners only in well-ventilated areas.
- Batteries can produce explosive hydrogen gas, which can cause personal injury. Therefore do not allow flames, sparks or flammable substances to come near the battery.
- Keep hands and any other objects away from the radiator fan blades.
- Keep yourself and your clothing away from moving parts when the engine is running.
- Do not wear loose clothing or jewelry that can be caught in rotating or moving parts.

## Roush Billet Shift Knob Installation



Remove the shift boot from the shift knob by stretching the elastic o-ring sewn into the top of the shift boot at the base of the shift knob and pulling down.

Remove the factory shift knob by rotating counterclockwise to loosen.



Install the Shift Knob Locknut onto the shift handle threads and rotate clockwise by hand until it stops.



Install the Roush Billet Shift Knob onto the threads of the shift handle. Rotate clockwise by hand until the shift knob contacts the locknut. Align the Roush logo and shift pattern then tighten the shift locknut with the 1-1/8" wrench by turning the locknut counterclockwise.

Reinstall the shift boot by stretching the top of the boot over the shift locknut.



After installation is complete, double-check that all nuts and screws are installed securely. If you are missing any items or have any questions regarding the installation, please call us toll free at 1-800-59-ROUSH.



## **Warranty**

All retail parts carry a 90-day warranty from the date of purchase. This warranty covers defects in materials or workmanship, and does not include (I) normal wear and tear, environmental conditions, improper installation; (II) road hazards, misuse, abuse, neglect, accidents, collision, fire, theft, freezing, vandalism, riot, explosion, or objects striking the vehicle; (III) misusing the vehicle, such as driving over curbs, overloading, racing, or using the vehicle as a stationary power source; (iv) altering, disassembling or modifying the parts; (v) defects caused or induced by failures, breakdowns, or damage by other parts, components or the vehicle; (vi) subjecting the parts to excessive moisture or water or any motor vehicle fluids (e.g.: oil, anti-freeze, battery acid, brake fluid, etc.); (vii) acts of God, natural disasters and other similar causes beyond the reasonable control of Roush; or (viii) application of chemicals that affect the parts. This Limited Warranty does not cover surface deterioration of paint, trim, and appearance items that result from use and/or exposure to the elements, such as stone chips, scratches, bird droppings, lightning, hail, windstorm, dings, dents, earthquake, road salt, tree sap, water or flood.

ROUSH SHALL NOT BE LIABLE TO REIMBURSE CUSTOMER/DEALER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE INSTALLATION OR USE OF ANY PRODUCT SOLD THROUGH THIS CATALOG OR ARISING OUT OF ANY BREACH OF WARRANTY. EXCEPT AS MAY BE STATED IN THIS CATALOG, ROUSH DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ROUSH'S LIABILITY EXCEED THE PRICE PAID BY CUSTOMER/DEALER FOR PRODUCTS SOLD REGARDLESS IF ROUSH HAS BEEN ADVISED IN ADVANCE OF ANY POTENTIAL PROBLEM OR IF A CLAIM IS BASED ON CONTRACT, TORT, STRICT LIABILITY, PRODUCT LIABILITY OR OTHERWISE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF IMPLIED WARRANTIES OR THEIR DURATION, OR LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSIONS OR LIMITATIONS MAY NOT APPLY.