



wyle
laboratories

Reliability Information Analysis Center



Joe Hazeltine, PE

Director

joseph.hazeltine@wyle.com

256-716-4390



Approved for Public Release
U.S. Government Work (17 USC § 105)
Not copyrighted in the U.S.

Information for the Defense Community 

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE NOV 2008	2. REPORT TYPE N/A	3. DATES COVERED -	
4. TITLE AND SUBTITLE Reliability Information Analysis Center		5a. CONTRACT NUMBER	
		5b. GRANT NUMBER	
		5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d. PROJECT NUMBER	
		5e. TASK NUMBER	
		5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Wyle Laboratories		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited			
13. SUPPLEMENTARY NOTES See also ADM202819. Acquisition and Life Cycle Management Symposium: Rapid Access to Technical Information Supporting Defense Acquisition held in Huntsville, Alabama on 18-19 November 2008, The original document contains color images.			
14. ABSTRACT			
15. SUBJECT TERMS			
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	SAR
			18. NUMBER OF PAGES 19
			19a. NAME OF RESPONSIBLE PERSON



What is the Reliability Information Analysis Center (RIAC)?

RIAC is one of 10 DoD **Information Analysis Centers (IACs)** managed by the Defense Technical Information Center (DTIC). RIAC's charter includes **Reliability, Maintainability, Quality, Supportability, and Interoperability (RMQSI)**.





RIAC Quick Facts

Attribute	Metric
Technologies	Reliability, Maintainability, Quality, Supportability, and Interoperability (RMQSI)
Library	120,000 Documents (~30,000 are electronic)
User Base	>20,000
Products	85 (15 new ones since 2006, 10 under development)
Training	25 Off-the-Shelf Courses Regular Quarterly Open-Presentation Courses
Research Projects Underway	6 new reliability engineering tools under development
	~60 Subscription Accounts in process
	~140 Technical Area Tasks in process
Staff	~2000 Staff Members (SMEs) Available
Impact	Data, Tools, and Guidelines Used on International Level





RIAC Resources

Team Member	Testing	Library	Laboratories	Supporting Centers
Wyle Laboratories	Many Locations in CONUS	Company	Failure Analysis	Total Ownership Cost, RCM/Aging Systems, Life Sciences
UMD Center of Risk and Reliability	Many at UMD Including CALCE	Major University	Failure Analysis	CALCE, Risk, SW Rel, Structures
PSU Applied Research Lab	Prognostics and Mechanical	Major University	Failure Analysis	iMAST, Reptech, Supply Chain, Mgmt
SUNY Institute of Technology	SUNY 64 Campus Network	SUNY 64 Campus Network	Computer Related	Nanotechnology, Electronics Packaging, Sensors










Some Accomplishments



Major Product Releases :

- “217Plus” software tool
- “Handbook of 217Plus Reliability Models”
- 15 New textbooks
- 16 New journals





New RIAC Product Initiatives


MS Excel®-Based Products

On-Line and DVD-Based Interactive Training



RIAC Product “Stalwarts”

RIAC Databooks



NPRD-95:

- 13 Years Old
- NPRD-08 in Progress
- 100,000 failure rates
- 10,000 failure mechanisms
- 2 billion test hours

RIAC Toolkits




Thousands Distributed:

- SRKIT > 850 pages of HW, SW, Human & System Reliability Guidelines
- SRKIT Provided to Training Course Students
- Interoperability Guidebook just released




How RIAC is being used






SA Customer Base





TAT Customer Base





RIAC RCM Projects





RIAC TAT Example Capability

The Problem

The operations in Operation Iraqi Freedom and Operation Enduring Freedom encountered a new threat called the Improvised Explosive Device (IEDs). IEDs are specifically designed to destroy mobile vehicles. In response to this threat over 10,800 Mine Reinforce Armor Protected (MRAP) vehicles were designed, built and fielded in less than 18 months. Sustainment of the fleet was deferred until the threat was neutralized.

The Solution

RIAC Subject Matter Experts are being used in conjunction with the Original Equipment Suppliers (BAE, FPI, GDLS and Navistar), the in-theater field service representatives and engineers from the MRAP Joint Project Office to perform Reliability Centered Maintenance (RCM) evaluations on each variant on the fleet of vehicles, by system, to optimize the maintenance and sustainment of the fleet. .

The Payoff

The MRAP RCM Plan has been written and the RCM evaluations are underway starting with the Cougar vehicles. Typically, RCM programs result in availability improvements of 5-10% and maintenance savings of \$100K-1M per system per year for a fleet the size of MRAP. **If these metrics hold true over the next 3 years, this program will result in savings of Billions of dollars a year in this \$24B acquisition.**





RIAC TAT Example Capability

The Problem

The mission effectiveness of the USAF AN/ALQ-184 (V) EA Pod is degraded due to the frequent failures of the Reprogrammable Low Band Standard Processor Printed Wire Assembly (RLB PWA).

The Solution

The RIAC performed a Causal and Failure Elimination and Control Analysis. The analysis included visual inspections, electrical circuit modeling, environmental & vibration testing and maintenance & training evaluations.



The Payoff

University of Maryland and **Wyle** engineers provided specific options for government to consider for root failure mitigation and long term sustainment of the system. Follow-on work is planned to either re-design the chip or the PWA to eliminate the failure. **This will ensure that the USAF can continue to fly the AN/ALQ-184 Jammer Pods well into the next decade.**



RIAC TAT Example Capability

The Problem

The US Navy was lubricating the jackscrew for the P3 Orion on a daily basis because the lubricant washed off during flights.

The Solution

Wyle engineers on the Aging Aircraft Integrated Product Team in conjunction with the **JCAA** Program Office analyzed the lubricant and determined that one used by the USAF had better lubrication and corrosion control characteristics.



The Payoff

Use of the new lubricant was implemented. The **lubrication cycle was reduced to 28 days** which increased availability and reduced maintenance costs while providing better corrosion control.




RIAC TAT Example Capability

The Problem

NAVAIR determined that EA-6B aircraft reliability was lower than required. The aircraft had long depot visits, a lower than acceptable availability and the overall condition of the aircraft was not right.

The Solution

Wyle utilized our versatile reliability centered maintenance system (VRCM) to perform a structured analytical process for the maintenance of the aircraft.



The Payoff

As a result of the VRCM analysis conducted and implementation of the new maintenance plan on the EA-6B:

- **Availability was increased by 25%**
- **Maintenance man-hours were reduced by 30,000/yr/squadron**

A new software tool was developed that is now used by the USAF.



RIAC TAT Example Capability

The Problem

MSFC is developing a design tool for nuclear thermal propulsion (NTP) engine systems in order to generate conceptual designs and perform trade studies on one potential propulsion source for the Manned Mission to Mars. NASA required a detailed Failure Modes and Effects Analysis (FMEA) on the NERVA Reactor.

The Solution

RIAC Subject Matter Experts were utilized to complete a detailed Failure Modes Effects and Analysis (FMEA) for the nuclear reactor and the associated sub-systems. This reactor, NERVA, has the largest thermal output of any nuclear system ever developed.

The Payoff

The FMEA includes details on the component importance, failure prediction likelihood and the failure probability **which will guide NASA in the design and construction of the advanced NERVA** which will be a critical element in the first manned space flight to Mars.





RIAC TAT Example Capability

The Problem

The USAF was evaluating the scheduled maintenance on the F-15 Eagle fleet of aircraft.

The Solution

RIAC Subject Matter Experts were utilized to complete a detailed Reliability Centered Maintenance (RCM) evaluation of the aircraft.



The Payoff

The RCM analysis determined that the 200 hour phased maintenance could be extended to 400 hours without impacting safety or reliability. **The reduced maintenance resulted in a 400,000 man-hour per year savings and a \$70M per year cost avoidance.**



RIAC TAT Example Capability

The Problem

Hellfire missiles returning from the OEF theater were experiencing a higher failure rate than expected.

The Solution

RIAC Subject Matter Experts were utilized to complete a detailed Failure Analysis of the missile and found that the seeker unit stator was deforming causing the gyroscope armature to freeze.



The Payoff

The failure was apparently due to high temperature experienced on the tarmac and during storage. RIAC recommended the use of the missile covers **which will allow the missile to avoid the radiant heat from the sun and keep the stator temperature within design limits.**





For more information

RIAC phone: (315) 351-4200

RIAC website: <http://theRIAC.org>

IAC Program Office at DTIC website: <http://iac.dtic.mil>



Contacts

RIAC Director
Joseph Hazeltine, PE, NCE
(256) 716-4390
joseph.hazeltine@wyle.com

RIAC COR @ AFRL
Richard Hyle
(315) 330-4857
richard.hyle@rl.af.mil

RIAC Deputy Director
Valerie Hayes
(301) 863-4301
valerie.hayes@wyle.com

RIAC CO @ 55 CONS
Shawn Anderson
(402) 232-5330
shawn.anderson@offutt.af.mil

IAC Program Office
Terry Heston
(703) 767-9172
theston@dtic.mil