



The Practical Pumping Handbook



by Ross Mackay





Contents

Acknowledgements	xv
Dedication	xviii
About the author	xix
1 Centrifugal Pumps	1
1.1 The pump	1
1.2 Applications	2
1.3 Pump cases	4
1.3.1 Diffuser casings	6
1.3.2 Back cover arrangements	7
1.3.3 Mounting feet	8
1.4 The impeller	8
1.4.1 Specific speed	9
1.4.2 Open and closed impellers	10
1.5 Double suction pumps	12
1.6 Materials of construction	12
1.6.1 Nonmetallic pumps	13
2 Pump Hydraulics	15
2.1 The pressure-head relationship	15
2.1.1 Pressure terminology	16
2.1.2 Pumping pressure	17
2.1.3 Total dynamic head	18
2.2 Performance curve	18
2.2.1 Efficiency	19
2.2.2 Net positive suction head	20
2.2.3 The composite pump performance curve	21
2.2.3.1 The best efficiency point (BEP)	22

	2.2.3.2	Pump run-out	22
	2.2.3.3	Minimum flow point	22
2.3		Affinity laws	23
	2.3.1	Change of electric motor for performance change	25
	2.3.2	Other changes	25
2.4		Pump performance on special liquids	26
2.5		Impeller hydraulic loads	27
	2.5.1	Radial thrust	28
	2.5.2	Shaft deflection	29
3		System Hydraulics	31
	3.1	Pump limitations	31
	3.2	Liquid flow in pipes	31
	3.2.1	Specific gravity	31
	3.2.2	Pressure in a static system	32
	3.2.3	Pressure in a flowing system	32
	3.2.4	Changes in an existing system	33
		3.2.4.1 The effect of capacity change on friction	33
		3.2.4.2 The effect of head change on flow rate	34
	3.2.5	Pipe size changes in a system	34
3.3		Basic elements of pump system design	35
	3.3.1	Gravity and static head	35
	3.3.2	Friction losses and friction head	36
	3.3.3	Velocity head	37
	3.3.4	Total head	37
3.4		System curve	37
3.5		The effect of operating performance	38
	3.5.1	Static head changes	38
		3.5.1.1 Batch transfer system	38
		3.5.1.2 Pressurized system	39
		3.5.1.3 Closed loop system	40
	3.5.2	Friction head changes	40
		3.5.2.1 System controls	40
		3.5.2.2 Restrictions in piping	40
	3.5.3	Recirculation systems	40
	3.5.4	Pump speed changes	41
	3.5.5	Series and parallel operation	42
		3.5.5.1 Series operation	42
		3.5.5.2 Parallel operation	43

3.6	Pump system analysis	44
3.6.1	Example 1	45
3.6.2	Example 2	47
3.6.3	Example 3-A	49
3.6.4	Example 3-B	51
3.6.5	System curve revisited	51
4	Suction Conditions	53
4.1	General	53
4.2	Vapor pressure	53
4.3	Cavitation	53
4.4	Net positive suction head	55
4.4.1	NPSH required by the pump	56
4.4.1.1	Increase the eye area of the impeller	57
4.4.1.2	Install a suction inducer	57
4.4.1.3	Use a double suction impeller	57
4.4.1.4	Use a slower speed pump	57
4.4.1.5	Use lower capacity pumps	57
4.4.1.6	Use a booster pump	58
4.4.2	NPSH available from the system	58
4.4.2.1	Static head (H_s)	59
4.4.2.2	Surface pressure (H_a)	59
4.4.2.3	Vapor pressure (H_{vp})	59
4.4.2.4	Friction losses (H_f)	60
4.4.2.5	Sample NPSHA calculation	61
4.5	Suction specific speed	62
4.6	Confusing conditions	63
4.6.1	Suction recirculation	63
4.6.2	Discharge recirculation	63
4.6.3	Air entrainment	63
4.7	Similarities and differences	65
4.8	Priming	66
4.8.1	Self-priming pump layout	67
4.8.2	Centrifugal pump with priming tank	68
4.8.3	Air ejector system	68
4.9	Submergence	68
5	Pump selection and purchasing	71
5.1	Pump selection factors	71
5.1.1	Operational experience	72
5.1.2	End user data sheets	73
5.2	System operating considerations	73

5.2.1	Closed loop systems	73
5.2.2	Batch transfer system	76
5.2.3	Multiple destination systems	79
5.3	Price evaluation	80
5.3.1	Traditional pricing negotiation	81
5.3.2	Value based purchasing	82
5.3.3	Factors involved in mechanical suitability	83
	5.3.3.1 Mechanical seals	83
	5.3.3.2 Seal environment	83
	5.3.3.3 Bearings	84
	5.3.3.4 Lubricant protection	84
	5.3.3.5 Rotational speed	84
	5.3.3.6 Shaft slenderness ratio	84
	5.3.3.7 Maintenance hours	85
	5.3.3.8 Downtime and lost production	85
	5.3.3.9 The results	85
6	Stuffing Box Sealing	87
6.1	Shaft sealing	87
6.2	Packing	87
6.3	Mechanical Seals	89
	6.3.1 Match the seal to the service	90
	6.3.2 The seal faces	91
	6.3.3 Seal flexibility options	92
	6.3.4 Fretting seals	94
	6.3.5 Balanced or unbalanced seals	94
	6.3.6 Outside seals	96
	6.3.7 Split seals	97
	6.3.8 Cartridge seals	97
	6.3.9 Double seals	99
6.4	Environmental controls	100
	6.4.1 Seal flush	101
	6.4.2 Reverse flush	102
	6.4.3 Seal quench	102
	6.4.4 Barrier fluid systems	103
6.5	The seal chamber	104
7	Pump Bearings	107
7.1	Pump bearings	107
7.2	Bearing loads	108
7.3	Ball bearings	111
7.4	Other types of bearing	114

7.4.1	Cylindrical roller bearings	114
7.4.2	Journal bearings	114
7.5	The total bearing arrangement	115
7.6	Oil lubrication	115
7.6.1	Static oil lubrication	115
7.6.2	Constant level oiler	116
7.6.3	Oil ring lubrication	116
7.6.4	Oil mist lubrication	117
7.7	Grease lubrication	118
7.7.1	Shielded bearings	119
7.8	Bearing life	119
7.9	Lubricant protection	120
7.9.1	Sealed bearings	121
7.9.2	The lip seal	121
7.9.3	The magnetic seals	122
7.9.4	Bearing isolator	122
8	Special Applications	123
8.1	Slurry pumping	123
8.1.1	Industrial slurries	123
8.1.2	Municipal waste	124
8.1.3	Pipelines and mines	125
8.1.4	Recessed impeller vortex pumps	127
8.1.5	Diaphragm pump	128
8.1.6	Progressive cavity pump	128
8.1.7	Solids and slurries – useful formulae	128
8.1.8	Abrasive wear	129
8.2	Paper stock	131
8.2.1	Air in stock	132
8.2.2	Excessive discharge throttling	133
8.2.3	Filters and additives	133
8.2.4	Paper stock pumps	133
8.2.4.1	Medium density stock pumps	134
8.2.4.2	High density pumps	135
8.2.4.3	The fan pump	135
8.2.5	Determination of pump performance	136
8.2.5.1	Example 1	138
8.2.5.2	Example 2	139
9	Special Pumps	143
9.1	Sump pumps	143
9.1.1	Vertical sump pump	143

9.1.2	Submersible pump	144
9.1.3	Priming the pump	145
9.1.4	Air operated double diaphragm pump	146
9.1.5	Horizontal centrifugal pump	147
9.1.6	Self-priming pump	148
9.2	Vertical turbine pumps	150
9.2.1	Vertical pump bowl assembly	152
9.2.2	Vertical pump column	153
9.2.3	Pump discharge head	154
9.2.4	Vertical pump performance	154
9.2.5	Vertical pump sump requirements	155
9.2.6	Vertical pump design considerations	156
9.3	Magnetic drive pumps	156
9.3.1	Pump bearings	157
9.3.2	Temperature considerations	158
9.3.3	Decoupling	158
9.3.4	Failure costs	159
9.4	Positive displacement pumps	159
9.4.1	The piston pump	159
9.4.2	The diaphragm pump	160
9.4.3	The gear and lobe pump	161
9.4.4	Screw pumps	162
9.4.5	Progressive cavity pump	163
10	Pump Installation and Piping	165
10.1	Installation	165
10.1.1	Location	165
10.1.2	Receiving	165
10.1.3	Handling	166
10.1.4	Foundation leveling	166
10.1.5	Mounting the baseplate	167
10.1.6	Cement based grouting	167
10.1.7	Epoxy based grouting	168
10.1.8	PregROUTED baseplates	168
10.2	Piping considerations	168
10.2.1	Location	169
10.2.1.1	Pipe size	169
10.2.1.2	Suction elbows	170
10.2.1.3	Straight pipe	171
10.2.1.4	Air pockets	171
10.2.1.5	Suction source design	172
10.2.1.6	Pipe strain	172

	10.2.1.7	Pipe fittings	173
10.3		Alignment	174
	10.3.1	Shaft couplings	175
	10.3.2	Shaft offset and angularity	176
	10.3.3	High temperature corrections	177
	10.3.4	Typical acceptance values	178
	10.3.5	Run out	178
	10.3.6	Soft foot	179
	10.3.7	Alignment methodology	179
	10.3.8	C-flange adapter	179
11		Troubleshooting	181
	11.1	Skill and experience	181
	11.2	Operational problems	182
		11.2.1 Cavitation problem solving	182
		11.2.2 Uncurable conditions	184
	11.3	Reliability problems	185
	11.4	Failure analysis	186
		11.4.1 Speed of problem occurrence	187
		11.4.1.1 Excessive power consumption	187
		11.4.2 Frequency of problem occurrence	187
		11.4.2.1 Hydraulic imbalance in a double suction pump	188
		11.4.2.2 Undersized shaft in an end suction pump	188
	11.5	Failure modes	190
		11.5.1 Impeller	190
		11.5.2 Wear rings	191
		11.5.3 Shaft	192
		11.5.4 Sleeve	193
		11.5.5 Bearings	193
		11.5.6 Packing	194
		11.5.7 Mechanical seal – general	195
		11.5.7.1 Mechanical seal – seal faces	197
12		Pump Maintenance	201
	12.1	The strategy	201
		12.1.2 Economic considerations	202
	12.2	Preparation for pump dismantling	203
	12.3	Removing the back pull-out assembly	204
	12.4	Inspection checks on cast parts	204
	12.5	Casing and wear rings	205

12.6	Dismantling the back pull-out assembly	206
12.6.1	When packing is fitted	207
12.6.2	When a mechanical seal is fitted	207
12.6.3	Dismantling the bearing housing	207
12.7	Inspection checks	208
12.7.1	The back cover	208
12.7.2	The frame adapter	208
12.7.3	The bearing housing	208
12.7.4	Lip seals	208
12.7.5	The shaft	208
12.8	Mounting bearings on the shaft	209
12.8.1	Check shaft condition	211
12.9	Assembling the back pull-out assembly	212
12.9.1	A packed stuffing box	212
12.9.1.1	Installing the impeller with a packed stuffing box	212
12.9.1.2	Packing procedures	213
12.9.2	Installing with a mechanical seal	214
12.9.2.1	Installing the impeller with a mechanical seal	214
12.10	Installing the back pull-out assembly	215
13	Fluid Properties	217
13.1	Properties of water at various temperatures	217
13.2	Effect of altitude on pressures and the boiling point of water	218
13.3	Viscous liquids	219
13.3.1	Viscous performance correction for small pumps	221
13.3.2	Viscous performance correction for larger pumps	222
14	Friction Loss Tables	225
14.1	Friction loss for water in pipe	225
14.2	Typical resistance coefficients for valves and fittings	234
15	Materials of Construction	237
15.1	Materials of construction for pumping various liquids	237
15.2	Material selection	248
15.3	Material classes for centrifugal pumps in general refinery services	249

15.4	Materials for pump parts	252
15.5	Material specifications for pump parts	253
16	Conversion Tables and Formulae	259
16.1	Conversion tables	259
16.1.1	Length	260
16.1.2	Area	260
16.1.3	Volume	260
16.1.4	Velocity	262
16.1.5	Capacity	263
16.1.6	Pressure or head	264
16.1.7	Energy, work, heat	265
16.1.8	Power	266
16.1.9	Mass	267
16.2	Useful formulae	268
16.2.1	Head-pressure relationship	268
16.2.2	Power calculation	268
16.2.3	The affinity laws	268
16.2.4	Pressure in a static head system	268
16.2.5	Pressure in a flowing system	269
16.2.6	The effect of capacity change on pipe friction	269
16.2.7	The effect of head change on the flow rate	269
16.2.8	The effect of changes in pipe diameter on the friction in a system	269
16.2.9	The effect of changes in pipe diameter on the flow rate in a system	270
16.2.10	Total head in a system	270
16.2.11	Net positive suction head available from a system	270
16.2.12	Impeller specific speed	270
16.2.13	Suction specific speed	271
16.2.14	Calculation of grease service life	271
16.2.15	L-10 bearing life calculation	271
16.2.16	Slurry specific gravity	271
	Bibliography	273
	Index	275